



2V0-641^{Q&As}

VMware Certified Professional 6 – Network Virtualization Beta

Pass VMware 2V0-641 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/2v0-641.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VMware
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

You are tasked with designing a data center architecture that should maximize the use of vMotion within your environment. The design has these requirements:

The network must utilize widely offered layer 2 switching and layer 3 switching services

Purchase of new equipment should be minimized

Which two network design architectures will provide the requirements for vMotion in your data center? (Choose two.)

- A. Utilize layer 3 switching from the access layer through the core.
- B. Employ layer 2 multipathing using a standardized protocol.
- C. Deploy a flat, traditional layer 2 switched network.
- D. Deploy an overlay technology for the deployment of your virtual network.

Correct Answer: AD

QUESTION 2

A network security administrator wants to monitor traffic on several VLANs configured on a vSphere Distributed Switch. The traffic will be sent to another distributed port.

What type of port mirroring session must be configured to meet these requirements?

- A. Select the session type Distributed Port Mirroring when configuring the Port Mirroring session.
- B. Select the session type Remote Mirroring Source when configuring the Port Mirroring session.
- C. Select the session type Remote Mirroring Destination when configuring the Port Mirroring session.
- D. Select the session type Distributed Port Mirroring (legacy) when configuring the Port Mirroring session.

Correct Answer: C

QUESTION 3

An administrator configures the IPSec VPN service on an NSX Edge instance, but the negotiation fails.

Examining the log file, the administrator notices the following message.

INVALID_ID_INFORMATION

Which misconfiguration caused the error?

- A. Pre-shared key (PSK) does not match.
- B. Diffie-Hellman (DH) Group does not match.



- C. Perfect Forward Secrecy (PFS) does not match.
- D. VPN tunnel address is incorrect.

Correct Answer: A

QUESTION 4

A vSphere administrator added a new interface to a Distributed Router with a subnet of 172.16.10.0/24 and wants to make this subnet reachable to the rest of the network. How can the vSphere administrator achieve this?

- A. Enable OSPF on the Distributed Router. Configure the uplink interface in the Backbone area and redistribute into OSPF the 172.16.10.0/24 subnet.
- B. Enable OSPF on the Distributed Router. Configure the uplink interface in the normal area and the new interface with the subnet 172.16.10.0/24 in a Backbone area.
- C. Enable OSPF on the Distributed Router. Configure the uplink interface in the Backbone area and redistribute from OSPF the 172.16.10.0/24 subnet.
- D. Enable OSPF on the Distributed Router. Configure the uplink interface in the Backbone area and the new interface with the subnet 172.16.10.0/24 in a normal area.

Correct Answer: D

QUESTION 5

An administrator needs to verify which port the switch manager is using. Which command should be used?

- A. show controller-cluster status
- B. show controller-cluster core stats
- C. show controller-cluster connections
- D. show controller-cluster logical-switches

Correct Answer: C

[2V0-641 Practice Test](#)

[2V0-641 Exam Questions](#)

[2V0-641 Braindumps](#)