



2V0-71.21^{Q&As}

Professional VMware Application Modernization

Pass VMware 2V0-71.21 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/2v0-71-21.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VMware
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Which Tanzu Mission Control role provides the typical service usage for most members in an organization?

- A. Service Collaborator
- B. Service Member
- C. Service Owner
- D. Service Admin

Correct Answer: B

QUESTION 2

An architect is designing the infrastructure for multiple applications and needs to ensure isolation and control over resources and permissions assigned to each application team.

Which is the easiest and least expensive way to satisfy these requirements?

- A. Use dedicated Supervisor Cluster per application
- B. Use dedicated vSphere Namespace per application
- C. Use dedicated vSphere Pod per application
- D. Use dedicated Kubernetes Deployments per each application

Correct Answer: B

QUESTION 3

Which command is used to upgrade a Tanzu Kubernetes Grid Cluster (TKG) to a different kubernetes version?

- A. `tkg cluster upgrade --k8s-version`
- B. `tkg upgrade cluster --kubernetes-version`
- C. `tkg cluster upgrade --kubernetes-version`
- D. `tkg upgrade cluster --version`

Correct Answer: B

QUESTION 4

Refer to the exhibit.



```
root@photon-client [ ~ ] # kubectl get deployment
NAME          READY    UP-TO-DATE    AVAILABLE    AGE
nginx-d       0/2      0             0            75m
root@photon-client [ ~ ] # kubectl get replicasets
NAME          DESIRED    CURRENT    READY    AGE
nginx-d-66b6c48dd  2          0          0        75m
root@photon-client [ ~ ] #
```

A developer deployed nginx with 2 replicas on a new Tanzu Kubernetes Grid cluster, but the deployment did not move to a ready state.

What is the next step to troubleshoot?

- A. kubectl describe pods
- B. kubectl describe replicasets
- C. kubectl get pods
- D. kubectl get errors

Correct Answer: A

QUESTION 5

Which option provides a configuration blueprint to deploy Tanzu Kubernetes clusters?

- A. Tanzu Kubernetes Cluster Spec
- B. Tanzu Kubernetes Grid Installer
- C. Tanzu ClusterAPI Provider
- D. Tanzu Kubernetes Cluster Plan

Correct Answer: D

[2V0-71.21 VCE Dumps](#)

[2V0-71.21 Practice Test](#)

[2V0-71.21 Exam Questions](#)