



# 2V0-81.20<sup>Q&As</sup>

Professional VMware Security

**Pass VMware 2V0-81.20 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/2v0-81-20.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by VMware  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





#### QUESTION 1

Considering the NSX Manager Node, what is VMware's recommended size for a typical production deployment?

- A. small appliance for deployments with up to 64 hosts
- B. medium appliance for deployments with up to 64 hosts
- C. medium appliance for deployments with up to 128 hosts
- D. small appliance for deployments with up to 32 hosts

Correct Answer: B

---

#### QUESTION 2

Which of the following statements is true about Monitor Port Mirroring Sessions in NSX-T Data Center?

- A. This feature requires a SPAN compliant appliance.
- B. A source mirror port can be in more than one mirror session.
- C. A source mirror port cannot be in more than one mirror session.
- D. This feature requires an IPFIX compliant collector.

Correct Answer: C

---

#### QUESTION 3

Which three statements are correct for Active Directory integration with Identity Firewalls (IDFW) in an NSX-T Data Center deployment? (Choose three.)

- A. The IDFW can be used on both physical and virtual servers as long as supported operating system is installed.
- B. The Thin Agent must be enabled in VMWare tools as it is not enabled by default.
- C. The IDFW can be used for Virtual Desktops (VDI) or Remote desktop sessions (RDSH support).
- D. Identity-based groups can be used as the source or destination in DFW rules.
- E. User identity information is provided by the NSX Guest Introspection Thin Agent.

Correct Answer: CDE

---

#### QUESTION 4

In an NSX-T Data Center deployment, micro-segmentation via security policies is accomplished using which component?



- A. NSX Bridge Firewall
- B. NSX Gateway Firewall
- C. NSX Logical Router
- D. NSX Distributed Firewall

Correct Answer: D

---

#### QUESTION 5

When creating a compliance policy in Workspace ONE UEM, which three of the following options are valid Notify actions? (Choose three.)

- A. Send SMS to Device
- B. Send Push Notification to Device
- C. Voice Call to User
- D. Send Email to User
- E. SMS to Manager

Correct Answer: ABD

[Latest 2V0-81.20 Dumps](#)

[2V0-81.20 VCE Dumps](#)

[2V0-81.20 Study Guide](#)