



300-100^{Q&As}

LPIC-3 Exam 300 Mixed Environments version 1.0

Pass Lpi 300-100 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/300-100.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Lpi Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

How can the risk of UID/GID inconsistencies be avoided across UNIX/Linux systems that are sharing information over protocols other than SMB/CIFS (eg: NFS)?

- A. Specify a common OpenLDAP idmap backend in smb.conf.
- B. Specify a common Kerberos realm in smb.conf.
- C. Specify a common domain name in smb.conf.
- D. Specify a common password server in smb.conf.
- E. Specify a common winbind ID range in smb.conf.

Correct Answer: A

QUESTION 2

Which command will display the groups a user belongs to on a remote SMB server?

- A. net rpc group info
- B. net rpc group member
- C. net rpc user info
- D. smblookup member
- E. smblookup user

Correct Answer: C

QUESTION 3

In the example below, what is the missing argument that is required to use secret as the password to authenticate the replication push with a slave directory server? replica uri=ldaps://slave.example.com: 636
binddn="cn=Replicator,dc=example,dc=com" bindmethod=simple _____=secret

- A. secure
- B. master
- C. credentials
- D. password

Correct Answer: C



QUESTION 4

Which of the following Samba 4 commands adds the user candidate to group training?

- A. samba-tool user addgroup candidate training
- B. samba-tool group addmembers training candidate
- C. samba-tool groupadd training candidate
- D. samba-tool ad group modify training add candidate

Correct Answer: B

QUESTION 5

Enter the FOUR parameters (in the correct order) to be set in the name resolve order directive to use the following name resolution order? (Enter only the parameter names with space between them)

1.

Use lmhosts file entries

2.

Use a server specified in the '\\wins server\\' directive

3.

Use broadcast

4.

Use default DNS lookup

A. lmhosts wins bcast host

Correct Answer: A

[Latest 300-100 Dumps](#)

[300-100 VCE Dumps](#)

[300-100 Exam Questions](#)