

300-101^{Q&As}

Implementing Cisco IP Routing

Pass Cisco 300-101 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/300-101.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

Which value identifies traffic intended for different paths in an EVN environment?

- A. VLAN ID
- B. route target
- C. route tag
- D. VNET tag

Correct Answer: D

QUESTION 2

Refer to the exhibit.

Prefix	Next Hop	Interface
0.0.0.0/0	192.168.201	FastEthernet0/0
0.0.0.0/32	receive	
192.168.201.0/27	attached	FastEthernet0/0
192.168.201.0/32	receive	
192.168.201.1/32	192.168.201.1	FastEthernet0/0
192.168.201.2/32	receive	
192.168.201.31/32	receive	
224.0.0.0/4	drop	
224.0.0.0/24	receive	
255.255.255.255/32	receive	

Based on this FIB table, which statement is correct?

- A. There is no default gateway.
- B. The IP address of the router on FastEthernet is 209.168.201.1.
- C. The gateway of last resort is 192.168.201.1
- D. The router will listen for all multicast traffic.

Correct Answer: C

The 0.0.0.0/0 route is the default route and is listed as the first CEF entry. Here we see the next hop for this default route lists 192.168.201.1 as the default router (gateway of last resort).

QUESTION 3

Refer to the exhibit

```
!
interface FastEthernet0/1
ip address 209.165.200.225 255.255.255.224
ip nat outside
!
interface FastEthernet0/2
ip address 10.10.10.1 255.255.255.0
ip nat inside
!
access-list 10 permit 10.10.10.0 0.0.0.255
!
```

Which command allows hosts that are connected to FastEthernet0/2 to access the Internet?

A. ip nat inside source list 10 interface FastEthernet0/1 overload

B. ip nat outside source static 209.165.200.225 10.10.10.0 overload

C. ip nat inside source list 10 interface FastEthernet0/2 overload

D. ip nat outside source list 10 interface FastEthernet0/2 overload

Correct Answer: A

QUESTION 4

What is the reasons of command:

router(config)#snmp-server host 192.168.1.3 traps version 2c CISCORO

A. For network system to management server

B. allow 192.168.1.3 only

C. https://www.CertBus.com/300-101.html

D. https://www.CertBus.com/300-101.html

Correct Answer: A

QUESTION 5

What is the optimal location from which to execute a debug command that produces an excessive amount of information?



https://www.geekcert.com/300-101.html

2021 Latest geekcert 300-101 PDF and VCE dumps Download

- A. Vty lines
- B. SNMP commands
- C. A console port
- D. An AUX port

Correct Answer: A

 $http://www.cisco.com/c/en/us/support/docs/dial-access/integrated-services-digital-networks-isdn-channel-\ associated-signaling-cas/10374-debug.html$

300-101 PDF Dumps

300-101 Exam Questions

300-101 Braindumps

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.geekcert.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © geekcert, All Rights Reserved.