

300-115^{Q&As}

Implementing Cisco IP Switched Networks

Pass Cisco 300-115 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/300-115.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



VCE & PDF GeekCert.com

https://www.geekcert.com/300-115.html

2021 Latest geekcert 300-115 PDF and VCE dumps Download

QUESTION 1

If VLAN 99 is set to trunk, h	now can you set it to	untagged from trunk	VLAN 99? (I	lf VLAN 99 tru	ınk is set, l	how to
untagged trunk VLAN 99?))					

- A. switchport access vlan 99
- B. switchport vlan 99 access
- C. switchport vlan 99 allow access
- D. switchport allow access vlan 99

Correct Answer: A

QUESTION 2

Which SDM feature enables maximize resources for ACL?

- A. access
- B. routing
- C. standard
- D. VLAN

Correct Answer: A

QUESTION 3


Drop the STP components from the left onto the correct descriptions on the right.

Select and Place:




https://www.geekcert.com/300-115.html

2021 Latest geekcert 300-115 PDF and VCE dumps Download



Correct Answer:



QUESTION 4

A question about RSPAN command replicate incoming and outgoing traffic in a single interface. (Choose two.)

A. monitor session 1 destination



https://www.geekcert.com/300-115.html

2021 Latest geekcert 300-115 PDF and VCE dumps Download

- B. monitor session 1 destination interface...
- C. monitor session 1 source interface g0/1 tx
- D. monitor session 1 source interface g0/2 rx
- E. monitor session 1 source interface g0/1 both

Correct Answer: CE

QUESTION 5

What does the command vlan dot1q tag native accomplish when configured under global configuration?

- A. All frames within the native VLAN are tagged, except when the native VLAN is set to 1.
- B. It allows control traffic to pass using the non-default VLAN.
- C. It removes the 4-byte dot1q tag from every frame that traverses the trunk interface(s).
- D. Control traffic is tagged.

Correct Answer: D

The "vlan dot1q tag native" will tag all untagged frames, including control traffic, with the defined native VLAN.

300-115 PDF Dumps

300-115 Practice Test

300-115 Braindumps



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.geekcert.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited. All trademarks are the property of their respective owners. Copyright © geekcert, All Rights Reserved.