

300-207^{Q&As}

Implementing Cisco Threat Control Solutions

Pass Cisco 300-207 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/300-207.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



VCE & PDF GeekCert.com

https://www.geekcert.com/300-207.html

2021 Latest geekcert 300-207 PDF and VCE dumps Download

QUESTION 1

What is a difference between a Cisco Content Security Management virtual appliance and a physical appliance?

- A. The virtual appliance requires an additional license to run on a host.
- B. The physical appliance requires an additional license to activate its adapters.
- C. Migration between virtual appliances of varying sizes is possible, but physical appliances must be of equal size.
- D. The physical appliance is configured with a DHCP-enabled management port to receive an IP address automatically, but you must assign the virtual appliance an IP address manually in your management subnet.

Correct Answer: A

QUESTION 2

Which three options are valid event actions for a Cisco IPS? (Choose three.)

- A. deny-packet-inline
- B. deny-attack-reset
- C. produce-verbose-alert
- D. log-attacker-packets
- E. deny-packet-internal
- F. request-block-drop-connection

Correct Answer: ACD

QUESTION 3

Which centralized reporting function of the Cisco Content Security Management Appliance aggregates data from multiple Cisco ESA devices?

- A. message tracking
- B. web tracking
- C. system tracking
- D. logging

Correct Answer: A

QUESTION 4



https://www.geekcert.com/300-207.html

2021 Latest geekcert 300-207 PDF and VCE dumps Download

Which three options are characteristics of router-based IPS? (Choose three.)

- A. It is used for large networks.
- B. It is used for small networks.
- C. It supports virtual sensors.
- D. It supports multiple VRFs.
- E. It uses configurable anomaly detection.
- F. Signature definition files have been deprecated.

Correct Answer: BDF

QUESTION 5

What can you use to access the Cisco IPS secure command and control channel to make configuration changes?

- A. SDEE
- B. the management interface
- C. an HTTP server
- D. Telnet

Correct Answer: B

300-207 VCE Dumps

300-207 Practice Test

300-207 Braindumps

https://www.geekcert.com/300-207.html

2021 Latest geekcert 300-207 PDF and VCE dumps Download

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.geekcert.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © geekcert, All Rights Reserved.