

300-320^{Q&As}

Designing Cisco Network Service Architectures

Pass Cisco 300-320 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/300-320.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



VCE & PDF GeekCert.com

https://www.geekcert.com/300-320.html

QUESTION 1

Due to financial constraints, an engineer is forced to use WAN edge routers with limited memory. BGP is used to exchange routing information with external customers. Which two additional actions are taken in this design? (Choose two.)

- A. Utilize iBGP to reduce memory utilization.
- B. Allow any BGP route that has external customer AS in the AS path.
- C. Filter any BGP routes that were not originated in external customer AS.
- D. Implement the Maximum-Prefix feature.
- E. Permit only specific routes from the external customers.

Correct Answer: DE

QUESTION 2

A company is running BGP on the edge with multiple service providers in a primary and secondary role. The company wants to speed up time if a failure was to occur with the primary, but they are concerned about router resources. Which method best achieves this goal?

- A. Utilize BFD and lower BGP hello interval
- B. Decrease the BGP keep-alive timer
- C. Utilize BFD and tune the multiplier to 50
- D. Utilize BFD and keep the default BGP timers

Correct Answer: D

QUESTION 3

About interconnecting with new company , both companies uses OSPF and the questions is about how should you filter the ingress traffic between them

- A. Use eigrp on the other company
- B. Use distribute-list
- C. Use prefix-list
- D. Use ACL

Correct Answer: B

https://www.geekcert.com/300-320.html

2021 Latest geekcert 300-320 PDF and VCE dumps Download

QUESTION 4

| What protocol is used for connectivity between VSS layers? |
|--|
| A. PAgP |
| B. IVR |
| C. ISL |
| D. VSL |
| E |
| Correct Answer: D |

QUESTION 5

An engineer is considering uplink bandwidth over-subscription in a Layer 3 network design. Which option is the Cisco recommended over-subscription ratio for uplinks between the distribution and core layers?

A. 3 to 1

B. 4 to 1

C. 6 to 1

D. 8 to 1

Correct Answer: B

300-320 PDF Dumps

300-320 Practice Test

300-320 Study Guide

https://www.geekcert.com/300-320.html

2021 Latest geekcert 300-320 PDF and VCE dumps Download

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.geekcert.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © geekcert, All Rights Reserved.