300-365^{Q&As}

Deploying Cisco Wireless Enterprise Networks

Pass Cisco 300-365 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/300-365.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

A network engineer must ensure that corporate wireless users have a better experience than guest wireless users. Which two configurations fulfil requirement? (Choose two.)

A. Override per-SSID bandwidth contracts on the corporate WLAN to reserve bandwidth.

B. Modify the corporate WLAN to the Platinum QoS policy.

C. Enable 802.1p tag on the Gold QoS pofccy to honor prioritized traffic.

D. Adjust the guest WLAN radio policy to 80211b/g only.

E. Change the guest WLAN to the Bronze QoS policy.

Correct Answer: BE

References: http://www.cisco.com/c/en/us/support/docs/wireless-mobility/wireless-lan-wlan/81831-qos-wlc-lap.html

QUESTION 2

You must use Cisco AVC on a WLC to prevent users from accessing a social media website. Which action do you configure in a rule?

A. drop

B. rate-limit

C. deny

D. mark

Correct Answer: A

QUESTION 3

Which two components comprise the NetFlow architecture? (Choose two.)

A. collector

B. gateway

C. event correlator

D. exporter

E. application transcoder

Correct Answer: AD

QUESTION 4

A wireless engineer wants to enable optimized roaming for their 5GHz wireless network with these settings: -72dBm RSSI value, 25% coverage exception level percentage, and a minimum of 50 packets received.

Which two commands achieve these settings? (Choose two.)

A. config advanced 802.11a coverage data fail-percentage 25

B. config advanced 802.11b optimized-roaming enable

C. config advanced 802.11b coverage data rssi-threshold -72

D. config advanced 802.11a optimized-roaming enable

E. config advanced 802.11a coverage data rssi-threshold -72

Correct Answer: AD

QUESTION 5

What is a realistic way to minimize inter-controller roaming in a large multibuilding campus?

A. Each controller must belong to a different mobility group.

B. All APs must join a single controller across the entire campus.

C. APs in each building must join the same controller.

D. APs in each building must be load balanced across controllers.

Correct Answer: A

[Latest 300-365 Dumps](#)   [300-365 Study Guide](#)   [300-365 Braindumps](#)

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications.
You can view Vendor list of All Certification Exams offered:

https://www.geekcert.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket: