300-375^{Q&As}

Securing Wireless Enterprise Networks

Pass Cisco 300-375 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/300-375.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

Which MDM feature do you use when a device is lost or stolen?

A. user account disable

B. remote wipe

C. access revocation

D. remote disable

Correct Answer: B

QUESTION 2

An engineer is configuring a BYOD deployment strategy and prefers a single SSID model. Which technology is required to accomplish this configuration?

A. mobility service engine

B. wireless control system

C. identity service engine

D. Prime Infrastructure

Correct Answer: C

Explanation: Please refer to the section "Single SSID Wireless BYOD Self Registration" of the below mentioned link.

Reference: http://www.cisco.com/c/dam/en/us/td/docs/security/ise/how_to/HowTo-61-BYOD-Onboarding_Registering_and_Provisioning.pdf

QUESTION 3

Which troubleshooting tool helps diagnose and solve issues experienced with wired and wireless clients?

A. WLC log analyzer tool

B. Client Troubleshooting Tool on Cisco Prime Infrastructure

C. WLC configuration tool

D. MSE

Correct Answer: B

Reference: https://www.cisco.com/c/en/us/td/docs/net_mgmt/prime/infrastructure/3-0/user/guide/pi_ug/clientmgmt.html

QUESTION 4

An administrator receives reports of many interferers in the wireless network and wants to get the location of these interferers from the maps in Cisco Prime Infrastructure. When looking at the floor plans/maps, the administrator does not see any interferers, but can see all wireless clients located successfully. Which two statements define the cause of the issue? (Choose two.)

A. MSE is not added to Cisco Prime Infrastructure and synchronized.

B. Interferer tracking is not enabled on the MSE.

C. SNMP between Cisco Prime Infrastructure and the WLC is failing.

D. Context Aware Service tracking limit has already been reached with tracking other elements.

E. NMSP communication is inactive with the WLC.

Correct Answer: AB

Reference: https://www.cisco.com/c/en/us/support/docs/wireless/5500-series-wireless-controllers/112139-cleanair-uwn-guide-00.html

QUESTION 5

Which of the following user roles can access CMX Visitor Connect?

A. Connect

B. Power User

C. Guest User

D. Super Administrator

Correct Answer: D

Reference: https://www.cisco.com/c/en/us/td/docs/wireless/mse/7-6/CMX_Dashboard/Guide/Cisco_CMX_Dashboard_Config_Guide/CMX_Dashboard_Visitor_Connect.pdf

[Latest 300-375 Dumps](#)   [300-375 PDF Dumps](#)   [300-375 VCE Dumps](#)

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product !

100% Guaranteed Success
100% Money Back Guarantee
365 Days Free Update
Instant Download After Purchase
24x7 Customer Support
Average 99.9% Success Rate
More than 800,000 Satisfied Customers Worldwide
Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.geekcert.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket: