



300-415^{Q&As}

Implementing Cisco SD-WAN Solutions (ENSDWI)

Pass Cisco 300-415 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/300-415.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

A policy is created to influence routing path in the network using a group of prefixes. What policy application will achieve this goal when applied to a site list?

- A. control-policy
- B. vpn-membership policy
- C. app-route policy
- D. cflowd-template

Correct Answer: A

QUESTION 2

What is the procedure to upgrade all Cisco SD-WAN devices to a recent version?

- A. The upgrade is performed for a group of WAN Edge devices first to ensure data-plane availability when other controllers are being updated.
- B. Upgrade and reboot are performed first on vManage, then on vBond, then on vSmart, and finally on the Cisco WAN Edge devices.
- C. The upgrade is performed first on vManage, then on WAN Edge devices, then on vBond, and finally on vSmart. The reboot must start from WAN Edge devices.
- D. Upgrade and reboot are performed first on vBond, then on vSmart, and finally on the Cisco WAN Edge devices.

Correct Answer: B

Reference: <https://community.cisco.com/t5/networking-documents/cisco-sd-wan-software-upgrade-best-practices/ta-p/4101848>

QUESTION 3

Refer to the exhibit.

INSTANCE	TYPE	PROTOCOL	SYSTEM	IP	ID	ID	PRIVATE IP	PORT	PUBLIC IP
REMOTE	COLOR	STATE		ERROR	ERROR	COUNT	DOWNTIME		

0	vamart	tls	1.1.1.3	100	1	100.1.1.3			
default		trying	DCONFAIL	NOERR	10001	2020-01-01T10:01:20+0000		23456	100.1.1.3

The control connection is failing. Which action resolves the issue?

- A. import vSmart in vManager



- B. Validate the certificates authenticity on vSmart
- C. Upload the WAN Edge list on vManage.
- D. Restore the reachability to the vSmart

Correct Answer: D

<https://www.cisco.com/c/en/us/support/docs/routers/sd-wan/214509-troubleshoot-control-connections.html>

QUESTION 4

Which two resource data types are used to collect information for monitoring using REST API in Cisco SD-WAN?
(Choose two.)

- A. POST
- B. PUT
- C. scalar
- D. array
- E. DELETE

Correct Answer: CD

QUESTION 5

An engineer is adding a tenant with location JD 306432373 in vManage. What is the maximum number of alphanumeric characters that are accepted in the tenant name field?

- A. 64
- B. 128
- C. 256
- D. 8

Correct Answer: B

[Latest 300-415 Dumps](#)

[300-415 Practice Test](#)

[300-415 Braindumps](#)