



# 300-420<sup>Q&As</sup>

Designing Cisco Enterprise Networks (ENSLD)

## Pass Cisco 300-420 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/300-420.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

How are wireless endpoints registered in the HTDB in a Cisco SD-Access architecture?

- A. Fabric edge nodes update the HTDB based on CAPPWAP messaging from the AP
- B. Fabric WLCs update the HTDB as new clients connect to the wireless network
- C. Border nodes first register endpoints and then update the HTDB
- D. Fabric APs update the HTDB with the clients' EID and RLOC

Correct Answer: B

Reference: <https://www.cisco.com/c/en/us/td/docs/solutions/CVD/Campus/cisco-sda-design-guide.html>

---

### QUESTION 2

A network engineer must optimize a campus OSPF deployment. Currently, each time a type 1 or type 2 LSA is generated within an area, the OSPF process must recompute the entire SPT.

Which solution improves the recomputation process?

- A. iSPF
- B. BFD
- C. SPF
- D. PRC

Correct Answer: A

---

### QUESTION 3

Which two routing protocols allow for unequal cost load balancing? (Choose two.)

- A. EIGRP
- B. IS-IS
- C. BGP
- D. OSPF
- E. RIPv6

Correct Answer: AC

---



#### QUESTION 4

What is the purpose of a TLOC extension in a Cisco SD-WAN network fabric?

- A. to facilitate WAN Edge router redundancy within a site
- B. to identify the physical interface where a WAN Edge router connects to the WAN transport network
- C. to expand the number of colors that are potentially applied to a network transport interface
- D. to aggregate multiple physical interfaces into a single logical Interface

Correct Answer: A

#### QUESTION 5

DRAG DROP

Drag and drop the characteristics from the left onto the Yang model they describe on the right.

Select and Place:

- independent of the underlying operating system
- specific to the underlying operating system
- vendor neutral
- provided by the vendor for device management

Open Model

Native Model

Correct Answer:




### Open Model

independent of the underlying operating system

vendor neutral

### Native Model

specific to the underlying operating system

provided by the vendor for device management

[Latest 300-420 Dumps](#)

[300-420 PDF Dumps](#)

[300-420 Exam Questions](#)