

300-430^{Q&As}

Implementing Cisco Enterprise Wireless Networks (ENWLSI)

Pass Cisco 300-430 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/300-430.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



VCE & PDF GeekCert.com

https://www.geekcert.com/300-430.html

2024 Latest geekcert 300-430 PDF and VCE dumps Download

QUESTION 1

A new MSE with wIPS service has been installed and no alarm information appears to be reaching the MSE from controllers. Which protocol must be allowed to reach the MSE from the controllers?

- A. SOAP/XML
- B. NMSP
- C. CAPWAP
- D. SNMP

Correct Answer: B

NMSP (Network Mobility Services Protocol) ?The protocol used for communication between Wireless LAN Controllers and the Mobility Services Engine. In the case of a wIPS Deployment, this protocol provides a pathway for alarm information to be aggregated from controllers to the MSE and for wIPS configuration information to be pushed to the controller. This protocol is encrypted.

https://www.cisco.com/c/en/us/td/docs/wireless/mse/7-6/MSE_wIPS/MSE_wIPS_7_6/MSE_wIPS_7_5_chapter_01000. html https://www.cisco.com/c/en/us/td/docs/wireless/technology/wips/deployment/guide/WiPS_deployment_guide.html# pgfld-80073

QUESTION 2

WPA2 Enterprise with 802.1X is being used for clients to authenticate to a wireless network through a Cisco ISE server. For security reasons, the network engineer wants to ensure that only PEAP authentication is used. The engineer sent instructions to clients on how to configure the supplicants, but the ISE logs still show users authenticating using EAP-FAST. Which action ensures that access to the network is restricted for these users unless the correct authentication mechanism is configured?

- A. Enable AAA override on the SSID, gather the usernames of these users, and disable the RADIUS accounts until the devices are correctly configured.
- B. Enable AAA override on the SSID and configure an ACL on the WLC that allows access to users with IP addresses from a specific subnet.
- C. Enable AAA override on the SSID and configure an access policy in Cisco ISE that denies access to the list of MACs that have used EAP-FAST.
- D. Enable AAA override on the SSID and configure an access policy in Cisco ISE that allows access only when the EAP authentication method is PEAP.

Correct Answer: D

QUESTION 3

An engineer configures a Cisco Aironet 600 Series OfficeExtend AP for a user who works remotely. What is configured on the Cisco WLC to allow the user to print a printer on his home network?



https://www.geekcert.com/300-430.html 2024 Latest geekcert 300-430 PDF and VCE dumps Download

GeekCert.com		
A. split tunneling		
B. SE-connect		
C. FlexConnect		
D. AP failover priority		
Correct Answer: A		
Reference: https://www.cisco.com/c/cpoint/117540-configure-splittunneloe	en/us/support/docs/wireless/aironet-602-o ap-00.html	fficeextend-access-
QUESTION 4		
What is the maximum time range tha	t can be viewed on the Cisco DNA Center	issues and alarms page?
A. 3 hours		
B. 24 hours		
C. 3 days		
D. 7 days		
Correct Answer: D		
QUESTION 5		
network must support voice and vide	ementing Fastlane on a wireless network on applications for Apple devices. Due to a Which QoS profile must the engineer conf	security concern, all iPhones are
A. Bronze		
B. Best Effort		
C. Silver		
D. Platinum		
Correct Answer: D		
Ref: https://www.cisco.com/c/dam/enrioritizing_Business_Apps.pdf	n/us/td/docs/wireless/controller/technotes/8	3-3/Optimizing_WiFi_Connectivity_and_P
300-430 Practice Test	300-430 Study Guide	300-430 Exam Questions