



# 300-430<sup>Q&As</sup>

Implementing Cisco Enterprise Wireless Networks (ENWLSI)

## Pass Cisco 300-430 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/300-430.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

An IT administrator is managing a wireless network in which most devices are Apple iOS. A QoS issue must be addressed on the WLANs. Which configuration must be performed?

- A. Enable Fastlane globally under Wireless > Access Points > Global Configuration.
- B. Create a new AVC Profile named AUTOQOS-AVC-PROFILE and apply to all WLANs.
- C. Enable Fastlane under each WLAN setting.
- D. Enable WMM TSPEC/TCLAS negotiation under Wireless > Advanced.

Correct Answer: C

Reference: [https://www.cisco.com/c/dam/en/us/td/docs/wireless/controller/technotes/8-3/Optimizing\\_WiFi\\_Connectivity\\_and\\_Prioritizing\\_Business\\_Apps.pdf](https://www.cisco.com/c/dam/en/us/td/docs/wireless/controller/technotes/8-3/Optimizing_WiFi_Connectivity_and_Prioritizing_Business_Apps.pdf)

---

### QUESTION 2

A wireless administrator must assess the different client types connected to Cisco Catalyst 9800 Series Wireless Controller without using any external servers. Which configuration must be added to the controller to achieve this assessment?

- A. native profile
- B. MAC classification
- C. local profile
- D. device classification

Correct Answer: D

Source: <https://www.cisco.com/c/en/us/support/docs/wireless/catalyst-9800-series-wireless-controllers/215661-in-depth-look-into-client-profiling-on-9.html> and logging into my own 9800.

---

### QUESTION 3

An engineer must use Cisco AVC on a Cisco WLC to prioritize Cisco IP cameras that use the wireless network. Which element do you configure in a rule?

- A. permit-ACL
- B. WMM required
- C. mark
- D. rate-limit

Correct Answer: C



---

[https://www.cisco.com/c/en/us/td/docs/wireless/controller/technotes/8-8/AVC\\_8point8\\_dg.html](https://www.cisco.com/c/en/us/td/docs/wireless/controller/technotes/8-8/AVC_8point8_dg.html)

---

#### QUESTION 4

What is configured to use more than one port on the OEAP to extend the wired network\\'s?

- A. AAA override
- B. client load balancing
- C. remote LAN ACL
- D. remote LAN

Correct Answer: D

---

#### QUESTION 5

An engineer is using Cisco Prime Infrastructure reporting to monitor the state of security on the WLAN. Which output is produced when the Adaptive WIPS Top 10 AP report is run\\'?

- A. last 10 WIPS events from sniffer mode APs
- B. last 10 WIPS events from monitor mode APs
- C. last of 10 sniffer mode APs with the most WIPS events
- D. last of 10 monitor mode APs with the most WIPS events

Correct Answer: B

[300-430 VCE Dumps](#)

[300-430 Practice Test](#)

[300-430 Braindumps](#)