



# 300-435<sup>Q&As</sup>

Automating and Programming Cisco Enterprise Solutions (ENAUTO)

## Pass Cisco 300-435 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/300-435.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

What are two characteristics of RPC API calls? (Choose two.)

- A. They can be used only on network devices.
- B. They use only UDP for communications.
- C. Parameters can be passed to the calls.
- D. They must use SSL/TLS.
- E. They call a single function or service.

Correct Answer: AC

Reference: <https://pubs.opengroup.org/onlinepubs/9629399/chap6.htm>

### QUESTION 2

```
{
  "Cisco-IOS-XR-ifmgr-cfg:interface-configurations": {
    "interface-configuration": [
      {
        "active": "act",
        "interface-name": "Loopback0",
        "description": "PRIMARY ROUTER LOOPBACK"
      }
    ]
  }
}
```

Refer to the exhibit. Which type of YANG container is described by the JSON instance provided?

- A. interface-configurations
- B. active
- C. interface-name
- D. description

Correct Answer: A

Reference: [https://www.cisco.com/c/en/us/td/docs/routers/asr9000/software/asr9k-r7-0/programmability/configuration/guide/b-programmability-cg-asr9000-70x/b-programmability-cg-asr9000-70x\\_chapter\\_011.html](https://www.cisco.com/c/en/us/td/docs/routers/asr9000/software/asr9k-r7-0/programmability/configuration/guide/b-programmability-cg-asr9000-70x/b-programmability-cg-asr9000-70x_chapter_011.html)



### QUESTION 3

FILL BLANK

Fill in the blank to complete the statement.

is a solution for automating the configuration of a device when it is first powered on, using DHCP and TFTP.

A. Zero touch provisioning (ZTP)

Correct Answer: A

Reference: <https://developer.cisco.com/docs/ios-xe/#!day-zero-provisioning-quick-start-guide>

### QUESTION 4

What are two benefits of leveraging Ansible for automation of Cisco IOS XE Software? (Choose two.)

A. Ansible playbooks are packaged and installed on IOS XE devices for automatic execution when an IOS device reboots.

B. All IOS XE operating systems include Ansible playbooks for basic system administration tasks.

C. It is a device-independent method for automation and can be used with any type of device or operating system.

D. Ansible playbooks can be written from the IOS XE EXEC command line to configure the device itself.

E. It does not require any modules of software except SSH to be loaded on the network device.

Correct Answer: AC

Reference: <https://developer.cisco.com/learning/modules/intro-ansible-iosxe/ansible-overview/step/4>

### QUESTION 5

```
- name: Create VRFs as defined by local_vrfs
  ios_vrf:
    vrfs: "{{ local_vrfs }}"
    state: 
  register: addvrf
```

Refer to the exhibit. An engineer creates an Ansible playbook to configure VRF information using a local\_vrfs variable. The code must be completed so that it can be tested. Which string completes the code?

A. present



B. up

C. on

D. active

Correct Answer: A

Reference: [https://docs.ansible.com/ansible/latest/modules/ios\\_vrf\\_module.html](https://docs.ansible.com/ansible/latest/modules/ios_vrf_module.html)

[300-435 VCE Dumps](#)

[300-435 Exam Questions](#)

[300-435 Braindumps](#)