

300-460^{Q&As}

Implementing and Troubleshooting the Cisco Cloud Infrastructure

Pass Cisco 300-460 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/300-460.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1


An administrator is installing a hypervisor and has provisioned a dedicated LAN connectivity, set the boot order, and is now rebooting the server to start installation. Which method is the administrator using to install the hypervisor?

- A. host image mapping
- B. KVM console
- C. PXE installation
- D. virtual boot

Correct Answer: C

QUESTION 2

Refer to the exhibit.



You have been asked to create a trunking (802.1 g) port group on a VMware vSwitch. Which number must be assigned as the VLAN ID to trunk al VLANs?



https://www.geekcert.com/300-460.html

2021 Latest geekcert 300-460 PDF and VCE dumps Download

A. 4095

B. 1

C. 1-4095

D. 0

Correct Answer: C

QUESTION 3

You have been asked to configure a virtual fiber channel interface. Which information is needed to complete this task?

- A. Fibre Channel ID and VSAN database key
- B. VSAN ID and Fibre Channel interface
- C. active zoneset and VSAN ID
- D. VLAN ID, VSAN ID, and Ethernet interface number

Correct Answer: B

Reference: Check section "Creating a VFC" of the link; http://www.cisco.com/c/en/us/td/docs/unified_computing/ucs/ucs-director/network-devices- mgmt-

guide/b_Network_Devices_Management_Guide/b_Network_Devices_Management_Guide _chapter_01001.html

QUESTION 4

Which option describes the purpose of system VLANs as used in a Cisco Nexus 1000V Switches?

- A. is the equivalent of 802.1q tagging in the Cisco Nexus 1000V $\,$
- B. enables interface connectivity before an interface is programmed via the control plane
- C. allows the VSM to send opaque data to all hosts under management
- D. supplements pVLAN functionality in a virtualized environment

Correct Answer: C

QUESTION 5

An engineer is configuring a vNIC template. Under which circumstance do they want to disable vNIC fabric failover?

- A. The Cisco UCS domain is running in Ethernet switch mode.
- B. A named VLAN already exists.
- C. The VLAN pin group has been created.



https://www.geekcert.com/300-460.html

2021 Latest geekcert 300-460 PDF and VCE dumps Download

D. The statistics threshold policy has already been set.

Correct Answer: A

Reference:

300-460 VCE Dumps

300-460 Practice Test

300-460 Study Guide

https://www.geekcert.com/300-460.html

2021 Latest geekcert 300-460 PDF and VCE dumps Download

To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.geekcert.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © geekcert, All Rights Reserved.