



300-535^{Q&As}

Automating and Programming Cisco Service Provider Solutions
(SPAUTO)

Pass Cisco 300-535 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/300-535.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

What tool is used to perform a "what if" failure analysis in a service provider network that is running Segment Routing?

- A. Cisco WAN Automation Engine
- B. Cisco Evolved Programmable Network Manager
- C. Cisco Network Services Orchestrator
- D. Cisco Segment Routing Path Computation Element

Correct Answer: A

Reference: <https://www.cisco.com/c/en/us/products/routers/wan-automation-engine/index.html>

QUESTION 2

What is an interior YANG data node that exists in at most one instance in the data tree and has no value?

- A. listing node
- B. tree node
- C. container node
- D. leaf node

Correct Answer: C

QUESTION 3

```
curl --request DELETE --url http://10.1.1.1:8080/srpolicy-install --header 'cache-control: no-cache' --  
header 'content-type: application/json'  
--data '{"source": "1.1.1.2", "end-point": "2001:4860::1:1:1:1", "color": 99, "route-distinguisher": 2}'  
<!DOCTYPE html>  
<html>  
<head>  
<title>404 Not Found</title>  
</head>  
<body>  
<h1>Not Found</h1>  
<hr>  
<address> Server at localhost:8080 </address>  
</body>  
</html>
```



Refer to the exhibit. An engineer implements an automation with Cisco XTC. Which problem results in the 404 Not Found error code on the REST call?

- A. The resource that you are trying to delete does not exist.
- B. Port 8080 is not enabled on XTC.
- C. XTC does not offer any APIs.
- D. You must change the request method.

Correct Answer: B

QUESTION 4

An engineer needs to configure network devices in an automated way. Which two ways are used to create structured data using YANG to provide REST-like APIs to enable programmability access? (Choose two.)

- A. YAML
- B. JSON
- C. GPB
- D. JSON-RPC
- E. XML

Correct Answer: BE

Reference: https://www.cisco.com/c/en/us/td/docs/ios-xml/ios/prog/configuration/166/b_166_programmability_cg/restconf_prog_int.pdf

QUESTION 5

Which NETCONF datastore is locked while the network device configuration is edited?

- A. running
- B. common
- C. startup D. working

Correct Answer: A

[Latest 300-535 Dumps](#)

[300-535 PDF Dumps](#)

[300-535 VCE Dumps](#)