



# 300-615<sup>Q&As</sup>

Troubleshooting Cisco Data Center Infrastructure (DCIT)

## Pass Cisco 300-615 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/300-615.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Refer to the exhibit.

```
switch# show fabric-binding violations vsan 6
-----
VSAN Switch WWN [domain] Last-Time [Repeat count] Reason
-----
6 20:00:00:05:15:80:4e:3b [*] Mar 24 01:46:12 2020 [2] sWWN not found
```

A switch fails to join the storage area network fabric in VSAN 6 where the fabric binding is enabled. Which configuration set resolves the issue?

- A. 

```
switch# fabric-binding database vsan 6
switch(config)# fabric-binding database activate vsan 6
switch(config-fabric-binding)# swwn 20:00:00:05:15:80:4e:3b
switch(config)# fabric-binding vsan 6 enable
```
- B. 

```
switch# fabric-binding database copy vsan 6
switch(config)# fabric-binding database vsan 6
switch(config-fabric-binding)# swwn 20:00:00:05:15:80:4e:3b
switch(config)# fabric-binding activate vsan 6
```
- C. 

```
switch# fabric-binding database enable vsan 6
switch(config)# fabric-binding database active
switch(config-fabric-binding)# swwn 20:00:00:05:15:80:4e:3b
switch(config)# fabric-binding vsan 6 configure
```
- D. 

```
switch# fabric-binding database activate vsan 6
switch(config)# fabric-binding database
switch(config-fabric-binding)# swwn 20:00:00:05:15:80:4e:3b
switch(config)# fabric-binding copy vsan 6
```

A. Option A

B. Option B

C. Option C


D. Option D

Correct Answer: B



## QUESTION 2

Refer to the exhibits.



```
M5K1# show interface fc1/1
fc1/1 is down (Fcot not present)
Hardware is Fibre Channel
Port WWN is 21:9f:00:05:30:00:18:a2
Admin port mode is auto, trunk mode is on
vsan is 20
Beacon is turned off
Counter Values (current):
0 frames input, 0 bytes, 0 discards
0 runts, 0 jabber, 0 too long, 0 too short
0 input errors, 0 CRC, 0 invalid transmission words
0 address id, 0 delimiter
0 EOF abort, 0 fragmented, 0 unknown class
```



The server traffic fails to reach the storage array. Which action resolves the issue?

- A. Change the VLAN ID and VSAN ID at both ends.
- B. Change port speed to auto mode.
- C. Remove and add new SFP on both ends.
- D. Reboot and configure the M5K switches.

Correct Answer: C

### QUESTION 3

#### DRAG DROP

You must troubleshoot an issue with DAI on a Cisco Nexus switch. Drag and drop the DAI configuration steps from the left into the order they must be implemented in on the right.

Select and Place:

Configure DHCP snooping.	
Enable DAI on the required untrusted interfaces.	
Configure DAI trust interfaces.	
Configure DAI inspection filter.	
Configure access list required by DAI for static mappings.	

Correct Answer:



	Enable DAI on the required untrusted interfaces.
	Configure DAI trust interfaces.
	Configure DAI inspection filter.
	Configure access list required by DAI for static mappings.
	Configure DHCP snooping.

**QUESTION 4**

Refer to the exhibit.

```
switch# config t
switch(config)# event manager applet track_int_up
switch(config-applet)# event track 1 state up
switch(config-applet)# action 1 syslog msg EEM applet track_int_down
bringing up port eth1/2 due to eth1/1 being down
switch(config-applet)# action 2 cli interface ethernet 1/2
switch(config-applet)# action 3 cli no shut
switch(config-applet)# end
```

The script fails to bring up Ethernet 1/2 when Ethernet 1/1 goes down. Which change enables the script to run as intended?

- A. Set the port VLAN
- B. Include an action to manually shut down Ethernet 1/1
- C. Add an action to configure the terminal
- D. Configure an enable action

Correct Answer: C





## QUESTION 5

### DRAG DROP

Drag and drop the Cisco UCS SNMP fault types from the left onto the correct issues on the right.

Select and Place:

connectivity	A server discovery fails.
environment	An adapter is unreachable.
operational	A voltage issue is detected.
server	A service profile is unable to associate.

Correct Answer:

	operational
	connectivity
	environment
	server

[300-615 PDF Dumps](#)

[300-615 Exam Questions](#)

[300-615 Braindumps](#)