

300-625^{Q&As}

Implementing Cisco Storage Area Networking (DCSAN)

Pass Cisco 300-625 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/300-625.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



VCE & PDF GeekCert.com

https://www.geekcert.com/300-625.html

2024 Latest geekcert 300-625 PDF and VCE dumps Download

QUESTION 1

A storage network engineer is implementing a port channel for multiple FCIP interfaces with write acceleration in
client\\'s storage network. Which channel mode must be used?

- client\\'s storage network. Which channel mode must be used?

 A. on

 B. passive
- C. active
- D. force

Correct Answer: C

QUESTION 2

Which two protocols are used to implement SAN telemetry on Cisco MDS switches? (Choose two.)

- A. RPC transport
- B. GPB transport
- C. gRPC transport
- D. gRPC encoding
- E. GPB encoding

Correct Answer: CE

QUESTION 3

Which condition requires using a device alias rather than a Fibre Channel alias?

- A. The zone database must be distributed over the fabric.
- B. The same alias must be used in zoning as well as DPVM.
- C. All aliases being used are being configured in the same VSAN.
- D. Aliases must be saved within a central database on the fabric.

Correct Answer: A

QUESTION 4

DRAG DROP

https://www.geekcert.com/300-625.html

2024 Latest geekcert 300-625 PDF and VCE dumps Download

Drag and drop the DCNM configuration tasks from the left onto the correct tools on the right.

Select and Place:

View the values for more than one switch at a time.	Device Manager
Display fabric extenders.	
Configure vFC interfaces.	
Use the End to End Connectivity Analysis tool to verify connections.	Cisco DCNM-SAN Client
Configure zones for multiple VSANs.	CISCO DCNIVI-SAN CHERC
Correct Answer:	
	Device Manager
	Configure vFC interfaces.
	Configure zones for multiple VSANs.
	View the values for more than one switch at a time.
	Cisco DCNM-SAN Client
	Use the End to End Connectivity Analysis tool to verify connections.
	Display fabric extenders.



https://www.geekcert.com/300-625.html

2024 Latest geekcert 300-625 PDF and VCE dumps Download

QUESTION 5

Which configuration is available only in Cisco DCNM-SAN Advanced mode?

A. IVR

B. VMpath configuration

C. zoning

D. template-based provisioning

Correct Answer: A

300-625 VCE Dumps

300-625 Study Guide

300-625 Exam Questions