



# 300-625<sup>Q&As</sup>

Implementing Cisco Storage Area Networking (DCSAN)

## Pass Cisco 300-625 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/300-625.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

#### DRAG DROP

Drag and drop the boot issues from the left onto the correct solutions on the right.

Select and Place:

The BIOS is corrupted.	Replace the module.
The bootflash is corrupted.	Specify the entire path.
Boot parameters are incorrect.	Use the netboot option.
The Cisco NX-OS image is corrupted.	Recover by using the boot loader.

Correct Answer:

	The BIOS is corrupted.
	Boot parameters are incorrect.
	The bootflash is corrupted.
	The Cisco NX-OS image is corrupted.

### QUESTION 2

Refer to the exhibit.



```
MDS-A# show run
...
!Activate Zone Database Section for vsan 10
zone name Server11 vsan 10
  member pwnn 11:11:11:11:11:11:11:11
  member pwnn 11:11:11:11:11:11:11:12
zoneset name Zoneset10-A vsan 10
  member Server11
zoneset activate name Zoneset10-A vsan 10
...

MDS-B# show run
...
!Activate Zone Database Section for vsan 10
zone name Server11 vsan 10
  member pwnn 11:11:11:11:11:11:11:11
  member pwnn 11:11:11:11:11:11:11:12
  member pwnn 11:11:11:11:11:11:11:13
zoneset name Zoneset10-B vsan 10
  member Server11
zoneset activate name Zoneset10-B vsan 10
...

MDS-A# show interface fc1/11
fc1/11 is trunking (Not All VSANs UP on the trunk)
  Port description is *** ISL-Trunk-MDS-B ***
  ....
  Port mode is TE
  Port vsan is 20
  ....
  Trunk vsans (admin allowed and active) (10,20)
  Trunk vsans (up) (20)
  Trunk vsans (isolated) (10)
  Trunk vsans (initializing) ()
  ...

MDS-A# show log
...
... MDS-A %ZONE-2-ZS_MERGE_FULL_DATABASE_MISMATCH: %SVSAN 10%S Zone merge full database
mismatch on interface fc1/11
... MDS-A %ZONE-2-ZS_MERGE_FAILED: %SVSAN 10%S Zone merge failure, isolating interface
fc1/11 reason: Member mismatch:[reason:0]
... MDS-A %PORT-5-IF_TRUNK_DOWN: %SVSAN 10%S Interface fc1/11, vsan 10 is down
(Isolation due to zone merge failure) *** ISL-Trunk-MDS-B FC1/11 ***
```

A storage network engineer gets remote access to two Cisco MDS 9000 Series Switches with an ISL trunk and receives several log messages. Which set of actions resolve the problem while least affecting service?

- A. 1. Add :11:11:11:11:11:11:11:13 pwnn in zone Server11 and activate Zoneset10-A on MDS-A.
- 2. shut/no shut interface fc1/11 on MDS-A.
- B. 1. Deactivate zone set Zoneset10-A on MDS-A.
- 2. shut/no shut interface fc1/11 on MDS-A.
- C. 1. Add :11:11:11:11:11:11:13 pwnn in zone Server11 and activate Zoneset10-A on MDS-A.
- 2. Remove VSAN 10 from the allowed VSAN range of interface fc1/11 on MDS-A and add it back in the range.



D. 1. Explicitly import zone set Zoneset10-A on MDS-B using the zoneset import interface import fc1/11 vsan 10 command.

2. Activate the zone set Zoneset10-A.

Correct Answer: A

---

### QUESTION 3

A storage network engineer must install and configure a new MDS switch in a data center network. Which two statements about available choices during the MDS switch initial setup are correct? (Choose two.)

- A. The engineer can choose what will be the administrator account.
- B. The secure password standard is required.
- C. The engineer can configure the default zone policy.
- D. The engineer can configure the default switch port trunk mode.
- E. The engineer does not have the choice to enable or disable full zoneset distribution.

Correct Answer: AC

---

### QUESTION 4

A network engineer must run a core Cisco Nexus 9500 Series Switch as a POAP server for all top-of-rack Cisco Nexus switches. Which two network functions must run to provide the POAP service? (Choose two.)

- A. DNS
- B. PXE
- C. BOOTP
- D. TFTP
- E. DHCP

Correct Answer: DE

---

### QUESTION 5

A domain ID conflict is detected on a switch. Which action resolves the issue in the shortest possible time after the preferred domain ID is changed to a static domain ID?

- A. Issue an fcdomain disruptive restart.
- B. Issue an fcdomain nondisruptive restart.
- C. Enter the commands for a VSAN suspend / no-suspend.



D. Enter the commands to complete a domain manager fast restart.

Correct Answer: A

[Latest 300-625 Dumps](#)

[300-625 VCE Dumps](#)

[300-625 Exam Questions](#)