300-630^{Q&As}

300-630^{Q&As}

Implementing Cisco Application Centric Infrastructure - Advanced (DCACIA)

Pass Cisco 300-630 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/300-630.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

Refer to the exhibit. Two application profiles are configured in the same tenant and different VRFs. Which contract scope is configured to allow communication between the two application profiles?

A. global

B. VRF

C. application

D. tenant

Correct Answer: D

Reference: https://www.cisco.com/c/en/us/td/docs/switches/datacenter/aci/apic/sw/1-x/Operating_ACI/guide/b_Cisco_Operating_ACI/b_Cisco_Operating_ACI_chapter_01000.html


QUESTION 2

A cloud provider must make a pair of firewalls available to all tenants. Each tenant defines its own service graph. Where should the Layer 4 to Layer 7 service be configured to accomplish this goal?

A. management tenant

B. infrastructure tenant

C. user tenant

D. common tenant

Correct Answer: C

QUESTION 3

Refer to the exhibit. Which configuration must be implemented on L3Out EBGP to advertise out of the fabric 172.16.2.0/24 network that is learned from L3Out OSPF?

A.

Create Subnet
Specify the Subnet

IP Address: 172.16.2.0/24
address/mask

scope: ☑ Export Route Control Subnet
☐ Import Route Control Subnet
☐ External Subnets for the External EPG
☐ Shared Route Control Subnet
☐ Shared Security Import Subnet

B.

Create Subnet
Specify the Subnet

IP Address: 172.16.1.0/24
address/mask

scope: ☑ Export Route Control Subnet
☐ Import Route Control Subnet
☐ External Subnets for the External EPG
☐ Shared Route Control Subnet
☐ Shared Security Import Subnet

C.

Create Subnet
Specify the Subnet

IP Address: | 172.16.1 .0/24 |
address/mask

scope: ☐ Export Route Control Subnet
☐ Import Route Control Subnet
☑ External Subnets for the External EPG
☐ Shared Route Control Subnet
☐ Shared Security Import Subnet

D.

Create Subnet
Specify the Subnet

IP Address: | 172.16.2.0/24 |
address/mask

scope: ☐ Export Route Control Subnet
☐ Import Route Control Subnet
☑ External Subnets for the External EPG
☐ Shared Route Control Subnet
☐ Shared Security Import Subnet

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: A

QUESTION 4

DRAG DROP

Refer to the exhibit. Drag and drop the subnets and flags from the left into the External Network Instance Profile policies on the right to create a setup that advertises only 10.10.0.0/24 and 10.10.1.0/24 prefixes in VRF1 and establishes connectivity between VRFs. Not all options are used.

Select and Place:

Answer Area

10.10.0.0/16		**IP Address**
10.10.0.0/23		IP Address
0.0.0.0/0		**Scope**
External Subnets for the External EPG		Scope 1
Export Route Control Subnet		Scope 2
Shared Route Control Subnet		Scope 3
Import Route Control Subnet		**Aggregate**
Shared Security Import Subnet		Aggregate
Aggregate Export		
Aggregate Import		
Aggregate Shared		

Correct Answer:

Answer Area

10.10.0.0/23
0.0.0.0/0

Export Route Control Subnet

Import Route Control Subnet

Aggregate Export
Aggregate Import

IP Address

10.10.0.0/16

Scope

Shared Route Control Subnet
Shared Security Import Subnet
External Subnets for the External EPG

Aggregate

Aggregate Shared

QUESTION 5

What is a characteristic of a stretched bridge domain solution between Cisco ACI sites with Layer 2 flood disabled?

A. The application profile that is associated to the bridge domain have local significance in each site.

B. The tenant and VRF that associated to the bridge domain have local significance in each site.

C. Headend replication is used for BUM traffic between sites.

D. IP mobility is ensured between sites for disaster recovery.

Correct Answer: B

300-630 VCE Dumps   300-630 Study Guide   300-630 Exam Questions