



300-635^{Q&As}

Automating and Programming Cisco Data Center Solutions (DCAUTO)

Pass Cisco 300-635 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/300-635.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

What is a description of a Cisco UCS Director script module?

- A. function to convert internal workflow tasks into Python scripts
- B. place to store custom workflow scripts, jars, and custom lists of values for use in custom workflow tasks
- C. place to store external scripts that are not related to Cisco UCS Director
- D. place to store imported scripts, Bash, and custom Python code for use in custom workflow tasks

Correct Answer: B

Reference: https://www.cisco.com/c/en/us/td/docs/unified_computing/ucs/ucs-director/orchestration-guide/60/b_UCS_Director_Orchestration_Guide_6_0/b_UCS_Director_Orchestration_Guide_6_0_chapter_0_1010.html

QUESTION 2

Which option must be configured to allow SNMP communications and traffic?

- A. an out of-band bridge domain
- B. an out-of-band contract
- C. an out-of-band policy
- D. an out-of-band management interface

Correct Answer: B

QUESTION 3

Which statement about synchronous and asynchronous API calls is true?

- A. Synchronous API calls wait to return until a response has been received.
- B. Synchronous communication is harder to follow and troubleshoot.
- C. Synchronous API calls must always use a proxy server.
- D. Asynchronous communication uses more overhead for client authentication.

Correct Answer: D

QUESTION 4



Refer to the exhibit.

```
[admin@guestshell ~]$ pwd
/home/admin
[admin@guestshell ~]$
[admin@guestshell ~]$
[admin@guestshell ~]$ more deltacounter.py
#!/isan/bin/python

from cli import *
import sys, time

ifName = sys.argv[1]
delay = 2
count = 5
cmd = 'show interface ' + ifName + ' counters'

out = json.loads(clid(cmd))
rxuc = int(out['TABLE_rx_counters']['ROW_rx_counters'][0]['eth_inucast'])
rxmc = int(out['TABLE_rx_counters']['ROW_rx_counters'][1]['eth_inmcast'])
rxbc = int(out['TABLE_rx_counters']['ROW_rx_counters'][1]['eth_inbcast'])
txuc = int(out['TABLE_tx_counters']['ROW_tx_counters'][0]['eth_outucast'])
txmc = int(out['TABLE_tx_counters']['ROW_tx_counters'][1]['eth_outmcast'])
txbc = int(out['TABLE_tx_counters']['ROW_tx_counters'][1]['eth_outbcast'])
print ('row rx_ucast rx_mcast rx_bcast tx_ucast tx_mcast tx_bcast')
print ('=====')
print (' %8d %8d %8d %8d %8d %8d' % (rxuc, rxmc, rxbc, txuc, txmc, txbc))
print ('=====')

i = 0
while (i < count):
    time.sleep(delay)
    out = json.loads(clid(cmd))
    rxucNew = int(out['TABLE_rx_counters']['ROW_rx_counters'][0]['eth_inucast'])
    rxmcNew = int(out['TABLE_rx_counters']['ROW_rx_counters'][1]['eth_inmcast'])
    rxbcNew = int(out['TABLE_rx_counters']['ROW_rx_counters'][1]['eth_inbcast'])
    txucNew = int(out['TABLE_tx_counters']['ROW_tx_counters'][0]['eth_outucast'])
    txmcNew = int(out['TABLE_tx_counters']['ROW_tx_counters'][1]['eth_outmcast'])
    txbcNew = int(out['TABLE_tx_counters']['ROW_tx_counters'][1]['eth_outbcast'])
    i += 1
    print ('%-3d %8d %8d %8d %8d %8d' % \
        (i, rxucNew - rxuc, rxmcNew - rxmc, rxbcNew - rxbc, txucNew - txuc, txmcNew - txmc),

[admin@guestshell ~]$
```

The script is called deltacounters.py and it is currently inside a Guest Shell container running inside a Cisco NX-OS switch. Which Cisco NX-OS command results in a successful execution of this script?

- A. python /home/admin/bootflash:deltacounters.py ethernet1/1
- B. show python bootflash:deltacounters.py ethernet1/1
- C. guestshell run python /home/admin/deltacounter.py ethernet1/1
- D. guestshell execute python /home/admin/deltacounter.py ethernet1/1




Correct Answer: C

Reference: https://www.cisco.com/c/en/us/td/docs/ios-xml/ios/prog/configuration/166/b_166_programmability_cg/guest_shell.html

QUESTION 5

Refer to the exhibit.



Cisco Intersight has an NTP server policy called My_NTP_Policy configured that contains a single NTP server pool entry "pool.ntp.org". Which Cisco Intersight API call adds an additional NTP server (10.20.0.1) to the My_NTP_Policy server policy?



A.

HTTP POST MethodURL: `https://intersight.com/api/v1/ntp/Policies/`

Bodytext:

```
{  
  "NtpServers": "10.20.0.1"  
}
```

B.

HTTP PATCH MethodURL: `https://intersight.com/api/v1/ntp/Policies/{My_NTP_Policy
MOID}`

Bodytext:

```
{  
  "NtpServers": [  
    "pool.ntp.org",  
    "10.20.0.1"  
  ]  
}
```



C.

HTTP PUT MethodURL: `https://intersight.com/api/v1/ntp/Policies/`

Bodytext:

```
{
  "NtpServers":[
    "10.20.0.1"
  ]
}
```

D.

HTTP PATCH MethodURL: `https://intersight.com/api/v1/ntp/Policies/{My_NTP_PolicyMOID}`

Bodytext:

```
{
  "NtpServers": "10.20.0.1"
}
```

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: B

Reference: <https://documenter.getpostman.com/view/30210/SVfWN6Yc?version=latest>[300-635 PDF Dumps](#)[300-635 Practice Test](#)[300-635 Exam Questions](#)