



300-635^{Q&As}

Automating and Programming Cisco Data Center Solutions (DCAUTO)

Pass Cisco 300-635 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/300-635.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

An engineer is implementing a Cisco Nexus switch. Which command executes an Ansible playbook called n9k.yml?

- A. ansible-playbook n9k.yml
- B. ansible-playbook -f n9k.yml -run now
- C. ansible-playbook -f n9k.yml
- D. ansible-playbook -f N9K.yml

Correct Answer: A

QUESTION 2

Which two bootstrap technologies are supported by Cisco NX-OS platforms? (Choose two.)

- A. iPX
- B. PNP
- C. POAP
- D. BOOTP
- E. DHCP

Correct Answer: CE

QUESTION 3

What is a description of a Cisco UCS Director script module?

- A. function to convert internal workflow tasks into Python scripts
- B. place to store custom workflow scripts, jars, and custom lists of values for use in custom workflow tasks
- C. place to store external scripts that are not related to Cisco UCS Director
- D. place to store imported scripts, Bash, and custom Python code for use in custom workflow tasks

Correct Answer: B

Reference: https://www.cisco.com/c/en/us/td/docs/unified_computing/ucs/ucs-director/orchestration-guide/60/b_UCS_Director_Orchestration_Guide_6_0/b_UCS_Director_Orchestration_Guide_6_0_chapter_0_1010.html



QUESTION 4

Refer to the exhibit.

```
switch#
switch#
switch#
switch# run bash
      ^
% Invalid command at "^" marker.
switch#
switch#
```

Which configuration change command must be run on the Cisco NX-OS device to make this command work?

- A. enable bash-shell
- B. bash-shell enable
- C. service bash-shell
- D. feature bash-shell

Correct Answer: D

Reference:

https://www.cisco.com/c/en/us/td/docs/switches/datacenter/nexus9000/sw/7-x/programmability/guide/b_Cisco_Nexus_9000_Series_NX-OS_Programmability_Guide_7x/Bash.html#:~:text=NX%2DOS%20VSH,-,Accessing%20Bash,%2DOS%20network%2Dadmin%20role.andtext=Bash%20is%20enabled%20by%20running,home%20directory%20for%20the%20user.

QUESTION 5

Which two statements describe the authentication method used with Cisco Intersight REST API Requests? (Choose two.)

- A. The REST API request contains a base64-encoded signature of the message content and headers.
- B. The REST API request message body is encoded as a SHA384 hash and then signed with the API Key ID.
- C. The Cisco Intersight Web service verifies the signature of incoming request with the RSA public key for the API Key ID.



D. The incoming REST API request is challenged by the Cisco Intersight Web service with a request for the RSA private key.

E. The message body is encoded as a SHA256 hash if the message body is not empty and then signed with the API Key ID.

Correct Answer: AC

Reference: <https://documenter.getpostman.com/view/30210/SVfWN6Yc?version=latest>

<https://github.com/ansible/ansible/pull/51309/files/a68de94464ad34b4e6836f86662ef0ba6060a2e>

[300-635 PDF Dumps](#)

[300-635 Practice Test](#)

[300-635 Braindumps](#)