



300-710^{Q&As}

Securing Networks with Cisco Firepower (SNCF)

Pass Cisco 300-710 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/300-710.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center


- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Refer to the exhibit.



What is the effect of the existing Cisco FMC configuration?

- A. The remote management port for communication between the Cisco FMC and the managed device changes to port 8443.
- B. The managed device is deleted from the Cisco FMC.
- C. The SSL-encrypted communication channel between the Cisco FMC and the managed device becomes plain-text communication channel.
- D. The management connection between the Cisco FMC and the Cisco FTD is disabled.

Correct Answer: D

QUESTION 2

A security engineer is deploying a pair of primary and secondary Cisco FMC devices. The secondary must also receive updates from Cisco Talos. Which action achieves this goal?

- A. Force failover for the secondary Cisco FMC to synchronize the rule updates from the primary.
- B. Configure the secondary Cisco FMC so that it receives updates from Cisco Talos.
- C. Manually import rule updates onto the secondary Cisco FMC device.
- D. Configure the primary Cisco FMC so that the rules are updated.

Correct Answer: D

QUESTION 3



The event dashboard within the Cisco FMC has been inundated with low priority intrusion drop events, which are overshadowing high priority events. An engineer has been tasked with reviewing the policies and reducing the low priority events. Which action should be configured to accomplish this task?

- A. drop packet
- B. generate events
- C. drop connection
- D. drop and generate

Correct Answer: A

Reference: https://www.cisco.com/c/en/us/td/docs/security/firepower/620/configuration/guide/fpmc-config-guide-v62/working_with_intrusion_events.html

QUESTION 4

After using Firepower for some time and learning about how it interacts with the network, an administrator is trying to correlate malicious activity with a user. Which widget should be configured to provide this visibility on the Cisco Firepower Dashboards?

- A. Custom analysis.
- B. Current Status
- C. Current Sessions
- D. Correlation Events

Correct Answer: C

QUESTION 5

A network engineer wants to add a third-party threat feed into the Cisco FMC for enhanced threat detection. Which action should be taken to accomplish this goal?

- A. Enable Rapid Threat Containment using REST APIs.
- B. Enable Rapid Threat Containment using STIX and TAXII.
- C. Enable Threat Intelligence Director using REST APIs.
- D. Enable Threat Intelligence Director using STIX and TAXII.

Correct Answer: D

Reference: https://www.cisco.com/c/en/us/td/docs/security/firepower/623/configuration/guide/fpmc-config-guide-v623/cisco_threat_intelligence_director__tid_.html



VCE & PDF

GeekCert.com

<https://www.geekcert.com/300-710.html>

2024 Latest geekcert 300-710 PDF and VCE dumps Download

[300-710 PDF Dumps](#)

[300-710 Practice Test](#)

[300-710 Braindumps](#)