

300-715^{Q&As}

Implementing and Configuring Cisco Identity Services Engine (SISE)

Pass Cisco 300-715 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/300-715.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



VCE & PDF GeekCert.com

https://www.geekcert.com/300-715.html

QUESTION 1

An administrator is trying to collect metadata information about the traffic going across the network to gam added visibility into the hosts. This Information will be used to create profiling policies for devices us mg Cisco ISE so that network access policies can be used.

What must be done to accomplish this task?

- A. Configure the RADIUS profiling probe within Cisco ISE
- B. Configure NetFlow to be sent to me Cisco ISE appliance.
- C. Configure SNMP to be used with the Cisco ISE appliance
- D. Configure the DHCP probe within Cisco ISE

Correct Answer: D

QUESTION 2

Which are two characteristics of TACACS+? (Choose two),

- A. It uses TCP port 49.
- B. It combines authorization and authentication functions.
- C. It separates authorization and authentication functions.
- D. It encrypts the password only.
- E. It uses UDP port 49.

Correct Answer: AC

QUESTION 3

Which port does Cisco ISE use for native supplicant provisioning of a Windows laptop?

- A. TCP 8909
- B. TCP 8905
- C. CUDP 1812
- D. TCP 443

Correct Answer: B

https://www.geekcert.com/300-715.html 2024 Latest geekcert 300-715 PDF and VCE dumps Download

QUESTION 4

What is a method for transporting security group tags throughout the network?

- A. by enabling 802.1AE on every network device
- B. by the Security Group Tag Exchange Protocol
- C. by embedding the security group tag in the IP header
- D. by embedding the security group tag in the 802.1Q header

Correct Answer: B

QUESTION 5

The profiling data from network access devices is sent to which Cisco ISE node?

- A. Monitoring node
- B. Administration node
- C. Inline Posture node
- D. Policy Service node

Correct Answer: D

300-715 Practice Test

<u>300-715 Study Guide</u>

300-715 Exam Questions