



300-715^{Q&As}

Implementing and Configuring Cisco Identity Services Engine (SISE)

Pass Cisco 300-715 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/300-715.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which three conditions can be used for posture checking? (Choose three.)

- A. certificate
- B. operating system
- C. file
- D. application
- E. service

Correct Answer: CDE

QUESTION 2

The security engineer for a company has recently deployed Cisco ISE to perform centralized authentication of all network device logins using TACACSs+ against the local AD domain. Some of the other network engineers are having a hard time remembering to enter their AD account password instead of the local admin password that they have used for years. The security engineer wants to change the password prompt to "Use Local AD Password:" as a way of providing a hint to the network engineers when logging in. Under which page in Cisco ISE would this change be made?

- A. Work Centers> Device Administration Ext Id Sources>Advanced Settings
- B. The password prompt cannot be changed on a Cisco IOS device
- C. Work Centers> Device Administration> Network Resources> Network Devices
- D. Work Centers> Device Administration> Settings> Connection Settings

Correct Answer: D

QUESTION 3

The 300 GB OVA templates for VMs are sufficient for which two dedicated Cisco ISE node types? (Choose two.)

- A. Administration
- B. Log Collector
- C. pxGrid
- D. Policy Service
- E. Monitoring

Correct Answer: CD



QUESTION 4

Which advanced option within a WLAN must be enabled to trigger Central Web Authentication for Wireless users on AireOS controller?

- A. DHCP server
- B. static IP tunneling
- C. override Interface ACL
- D. AAA override

Correct Answer: D

QUESTION 5

Which use case validates a change of authorization?

- A. An authenticated, wired EAP-capable endpoint is discovered
- B. An endpoint profiling policy is changed for authorization policy.
- C. An endpoint that is disconnected from the network is discovered
- D. Endpoints are created through device registration for the guests

Correct Answer: B

https://www.cisco.com/c/en/us/td/docs/security/ise/1-2/user_guide/ise_user_guide/ise_prof_pol.html

[Latest 300-715 Dumps](#)

[300-715 PDF Dumps](#)

[300-715 VCE Dumps](#)