



300-715^{Q&As}

Implementing and Configuring Cisco Identity Services Engine (SISE)

Pass Cisco 300-715 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/300-715.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

Which two actions must be verified to confirm that the internet is accessible via guest access when configuring a guest portal? (Choose two.)

- A. The guest device successfully associates with the correct SSID.
- B. The guest user gets redirected to the authentication page when opening a browser.
- C. The guest device has internal network access on the WLAN.
- D. The guest device can connect to network file shares.
- E. Cisco ISE sends a CoA upon successful guest authentication.

Correct Answer: BE

QUESTION 2

Which configuration is required in the Cisco ISE authentication policy to allow Central Web Authentication?

- A. MAB and if user not found, continue
- B. MAB and if authentication failed, continue
- C. Dot1x and if user not found, continue
- D. Dot1x and if authentication failed, continue

Correct Answer: A

QUESTION 3

Which file setup method is supported by ZTP on physical appliances?

- A. cfg
- B. iso
- C. img
- D. ova

Correct Answer: C



QUESTION 4

A security engineer must create an Antivirus remediation policy within Cisco ISE. Which two options can the engineer select in the new Antivirus remediation policy? (Choose two.)

- A. program installation path
- B. Antivirus vendor name
- C. uniform resource locator
- D. file to upload
- E. operating system

Correct Answer: BE

https://www.cisco.com/en/US/docs/security/ise/1.0/user_guide/ise10_pos_pol.html#wp1655749

QUESTION 5

An administrator needs to allow guest devices to connect to a private network without requiring usernames and passwords. Which two features must be configured to allow for this? (Choose two.)

- A. hotspot guest portal
- B. device registration WebAuth
- C. central WebAuth
- D. local WebAuth
- E. self-registered guest portal

Correct Answer: AB

[300-715 PDF Dumps](#)

[300-715 VCE Dumps](#)

[300-715 Practice Test](#)