300-735^{Q&As}

300-735^{Q&As}

Automating and Programming Cisco Security Solutions (SAUTO)

Pass Cisco 300-735 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/300-735.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

DRAG DROP

Drag and drop the code to complete the script to search Cisco ThreatGRID and return all public submission records associated with cisco.com. Not all options are used.

Select and Place:

```
import requests

API_KEY = 'asdf1234asdf1234asdf1234'

QUERY = '[          ]'

URL = 'https://panacea.threatgrid.com/api/v2/[          ] / [          ]'

PARAMS={"q":QUERY,"api_key":API_KEY}

request = requests.get(url=URL, params=PARAMS)

print(request.json)
```

submissions	public	query
cisco	search	cisco.com

Correct Answer:

```
import requests

API_KEY = 'asdf1234asdf1234asdf1234'

QUERY = ' cisco.com '

URL = 'https://panacea.threatgrid.com/api/v2/ search / submissions '

PARAMS={"q":QUERY,"api_key":API_KEY}

request = requests.get(url=URL, params=PARAMS)

print(request.json)
```

	public	query
cisco		

Reference: https://community.cisco.com/t5/endpoint-security/amp-threat-grid-api/m-p/3538319

QUESTION 2

Which URI string is used to create a policy that takes precedence over other applicable policies that are configured on Cisco Stealthwatch?

A. /tenants/{tenantId}/policy/system/host-policy

B. /tenants/{tenantId}/policy/system/role-policy

C. /tenants/{tenantId}/policy/system

D. /tenants/{tenantId}/policy/system/{policyId}

Correct Answer: A

QUESTION 3

DRAG DROP

A Python script is being developed to return the top 10 identities in an organization that have made a DNS request to "www.cisco.com".

Drag and drop the code to complete the Cisco Umbrella Reporting API query to return the top identities. Not all options are used.

Select and Place:

```
import requests

URL = 'https://reports.api.umbrella.com/v1/organizations/fe4936f9/
[          ] / [          ] / [          ] '

HEADERS = {'Authorization': 'Basic aGVsb29oYXViYnd5YXNk'}

response = requests.get(URL, headers=HEADERS)
```

security-activity	destinations	activity
www.cisco.com	identities	topIdentities

Correct Answer:

```
import requests

URL = 'https://reports.api.umbrella.com/v1/organizations/fe4936f9/

    destinations    /    www.cisco.com    /    activity    '

HEADERS = {'Authorization': 'Basic aGVsb29oYXViYnd5YXNk'}

response = requests.get(URL, headers=HEADERS)
```

| security-activity		
	identities	topIdentities

Reference: https://docs.umbrella.com/umbrella-api/docs/reporting-destinations-most-recent-requests

QUESTION 4

DRAG DROP

Drag and drop the code to complete the URL for the Cisco AMP for Endpoints API POST request so that it will add a sha256 to a given file_list using file_list_guid.

Select and Place:

```
https://api.amp.cisco.com/v1

/ [          ] / [          ] / [          ] / [          ]
```

files	file_lists
{:sha256}	{:file_list_guid}

Correct Answer:

```
https://api.amp.cisco.com/v1

/ file_lists / {:file_list_guid} / files / {:sha256}
```

Reference: https://api-docs.amp.cisco.com/api_actions/details?api_action=POST+%2Fv1%2Ffile_lists%2F%7B%3Afile_list_guid%7D%2Ffiles%2F%7B%3Asha256%7Dandapi_host=api.eu.amp.cisco.comandapi_resource=File+List+Iteman

dapi_version=v1

QUESTION 5

A developer has just completed the configuration of an API that connects sensitive internal systems. Based on company policies, the security of the data is a high priority.

Which approach must be taken to secure API keys and passwords?

A. Embed them directly in the code.

B. Store them in a hidden file.

C. Store them inside the source tree of the application.

D. Change them periodically.

Correct Answer: D

Latest 300-735 Dumps   300-735 PDF Dumps   300-735 VCE Dumps