



# 300-735<sup>Q&As</sup>

Automating and Programming Cisco Security Solutions (SAUTO)

## Pass Cisco 300-735 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/300-735.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

Which URI string is used to create a policy that takes precedence over other applicable policies that are configured on Cisco Stealthwatch?

- A. /tenants/{tenantId}/policy/system/host-policy
- B. /tenants/{tenantId}/policy/system/role-policy
- C. /tenants/{tenantId}/policy/system
- D. /tenants/{tenantId}/policy/system/{policyId}

Correct Answer: A

### QUESTION 2

#### DRAG DROP

Drag and drop the code to complete the curl query to the Umbrella Reporting API that provides a detailed report of blocked security activity events from the organization with an organizationId of "12345678" for the last 24 hours. Not all options are used.

Select and Place:

```
curl --include --header "Authorization: Basic %base64string%"  
https://reports.api.umbrella.com/v1/ [ ] /  
[ ] / [ ]
```

12345678	security-activity
security-activity-events	organizations
organizationId	security-events

Correct Answer:



```
curl --include --header "Authorization: Basic %base64string%"  
https://reports.api.umbrella.com/v1/ organizations /  
organizationId / security-activity
```

```
12345678  
security-activity-events  
security-events
```

Reference: <https://docs.umbrella.com/umbrella-api/docs/security-activity-report>

### QUESTION 3

Refer to the exhibit.

```
{  
  "version": "v1.2.0",  
  "metadata": {  
    "links": {  
      "self":  
    },  
    "results": {  
      "total": 33,  
      "current_item_count": 33,  
      "index": 0,  
      "items_per_page": 500  
    }  
  },  
  "data": [  
    {  
      "connector_guid": "0e37a552-2cdd-4178-b29e-1be15598d730",  
      "hostname": "Demo_AMP",  
      "active": true,  
      "links": {  
        "computer": "0e37a552-2cdd-4178-b29e-1be15598d730",  
        "trajectory": "0e37a552-2cdd-4178-b29e-1be15598d730/trajectory",  
        "group": "6c3c2005-4c74-4ba7-8dbb-c4d5b6baf03"  
      }  
    }  
  ]  
}
```

Which URL returned the data?

- A. <https://api.amp.cisco.com/v1/computers>
- B. <https://api.amp.cisco.com/v0/computers>
- C. <https://amp.cisco.com/api/v0/computers>



D. <https://amp.cisco.com/api/v1/computers>

Correct Answer: A

---

#### QUESTION 4

Which snippet describes the way to create an URL object in Cisco FDM using FDM REST APIs with curl?



- A. `curl -X POST --header 'Content-Type: application/json' \`  
`--header 'Authorization: Bearer $Token' \`  
`--header 'Accept: application/json' -d '{ \`  
`"id": "bfc6j984-9dcf-11e9-a6b5-617eea9159d3", \`  
`"description": "Google URL", \`  
`"url": "https://www.google.com", \`  
`"type": "urlobject" \`  
`}' 'https://198.18.133.8/api/fdm/v1/object/url'`
- B. `curl -X POST --header 'Content-Type: application/json' \`  
`--header 'Authorization: Bearer $Token' \`  
`--header 'Accept: application/json' -d '{ \`  
`"name": "google_url", \`  
`"description": "Google URL", \`  
`"url": "https://www.google.com", \`  
`"type": "urlobject" \`  
`}' 'https://198.18.133.8/api/fdm/v1/object/urls'`
- C. `curl -X POST --header 'Content-Type: application/json' \`  
`--header 'Authorization: Bearer $Token' \`  
`--header 'Accept: application/json' -d '{ \`  
`"name": "google_url", \`  
`"description": "Google URL", \`  
`"url": "https://www.google.com", \`  
`"type": "networkobject" \`  
`}' 'https://198.18.133.8/api/fdm/v1/object/urls'`
- D. `curl -X POST --header 'Content-Type: application/json' \`  
`--header 'Authorization: Bearer $Token' \`  
`--header 'Accept: application/json' -d '{ \`  
`"id": "bfc6j984-9dcf-11e9-a6b5-617eea9159d3", \`  
`"description": "Google URL", \`  
`"url": "https://www.google.com", \`  
`"type": "urlobject" \`  
`}' 'https://198.18.133.8/api/fdm/v1/object/urlcategories'`



- A. Option A
- B. Option B
- C. Option C
- D. Option D

Correct Answer: B

---

#### QUESTION 5

Which two API capabilities are available on Cisco Identity Services Engine? (Choose two.)

- A. Platform Configuration APIs
- B. Monitoring REST APIs
- C. Performance Management REST APIs
- D. External RESTful Services APIs
- E. Internal RESTful Services APIs

Correct Answer: BD

[300-735 PDF Dumps](#)

[300-735 Practice Test](#)

[300-735 Exam Questions](#)