



# 300-815<sup>Q&As</sup>

Implementing Cisco Advanced Call Control and Mobility Services  
(CLACCM)

**Pass Cisco 300-815 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/300-815.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

Which IOS command creates a SIP-enabled dial peer?

- A. voice dial-peer 20 sip
- B. dial-peer voice 20 voip
- C. dial-peer voice 20 pots
- D. dial peer voice 20 sip

Correct Answer: B

Reference: <https://www.ciscopress.com/articles/article.asp?p=664148andseqNum=6>

---

### QUESTION 2



**Cisco Unified CM Administration**  
For Cisco Unified Communications Solutions

System ▾ Call Routing ▾ Media Resources ▾ Advanced Features ▾ Device ▾ Application ▾ User Management ▾ Bulk Administration ▾ Help ▾

Save Delete Copy Add New

**Status**

**Pattern Definition**  
Pattern Usage\*   
IPv4 Pattern\*   
IPv6 Pattern   
Description   
Route Partition   
SIP Trunk/Route List\*  (Edit)  
☐ Block Pattern

**Calling Party Transformations**  
☐ Use Calling Party's External Phone Mask  
Calling Party Transformation Mask   
Prefix Digits (Outgoing Calls)   
Calling Line ID Presentation\*   
Calling Line Name Presentation\*

**Connected Party Transformations**  
Connected Line ID Presentation\*   
Connected Line Name Presentation\*

\*- indicates required item.

Refer to the exhibit. The customer is troubleshooting an issue where users cannot dial the CMS SIP Route Pattern. The CMS URI they are attempting to dial is 7772002@cms.domain.local. Which IPv4 pattern must the customer enter to resolve the issue?

- A. 7772002@cms.domain.local
- B. \*@cms.domain.local
- C. \*.cms.domain.local
- D. cms.domain.local

Correct Answer: B

### QUESTION 3



A company has users that are logged in to hunt groups. However, there is a requirement for hunt group configurations to provide an option to turn on audible ringtones when calls to a line group arrive at a phone that is logged out and on a break. This ringtone alerts a logged-out user that there is an incoming call to a hunt list to which the line is a member, but the call does not ring at the phone of that line group member because of the logged-out status. Which action meets this requirement?

- A. Configure the HLog softkey on the phone so that while a user is logged off, it plays an audible tone when a call is missed.
- B. Set the service parameter Enterprise Feature Access number for hunt group logout and set up an access number.
- C. Set the service parameter Party Entrance Tone to "True."
- D. Configure the service parameter hunt group logoff notification and specify the name of the ringtone file.

Correct Answer: D

#### QUESTION 4

Refer to the exhibit.

```
voice translation-rule 84
rule 1 /\ ([2-9]..[2-9].....$)/ \2/
```

Users report that outbound PSTN calls from phones registered to Cisco UCM are not completing. The local service provider in North America has a requirement to receive calls in 10-digit format. The Cisco UCM sends the calls to the Cisco Unified Border Element router in a globalized E.164 format. There is an outbound dial peer on Cisco Unified Border Element configured to send the calls to the provider. The dial peer has a voice translation profile applied in the correct direction but an incorrect voice translation rule applied. Which rule modifies DNIS in the format that the provider is expecting?

- A. rule 1 /\+ \([^\1].\*\)/ /011\1/
- B. rule 1 /\+1 \([2-9]..[2-9].....\$)/ \1/
- C. rule 1 /\([2-9]..[2-9].....\$)/ \1/
- D. rule 1 /\+1 \([2-9]..[2-9].....\$)/ \0/

Correct Answer: B

#### QUESTION 5

Some users report poor quality when they travel to another continent and make calls. This issue applies only to one continent and not to others, where typically the dialing is fast and quality is clear. Users experience the same result at home when they call the same numbers in that specific continent. It seems like some users do not exist in the correct PSTN gateway when making calls to a specific country. The company is using TEHO to save on the cost of international or long-distance calling.



They are also using a globalized dial plan. What is the cause of the issue?

- A. CUBE is not configured for TEHO in the specific country.
- B. A local route group is not added to the route pattern.
- C. The users are missing this specific gateway at the device pool level.
- D. Regions in Cisco UCM are not configured correctly.

Correct Answer: C

[Latest 300-815 Dumps](#)

[300-815 VCE Dumps](#)

[300-815 Braindumps](#)