



300-815^{Q&As}

Implementing Cisco Advanced Call Control and Mobility Services
(CLACCM)

Pass Cisco 300-815 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/300-815.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





QUESTION 1

An administrator must control the number of calls to a remote specific site to reduce bandwidth constraints. The users on that remote site report bad quality of the calls passing through that WAN link. Which action must the administrator take in Cisco UCM to resolve the issue?

- A. Use RSPV.
- B. Use Location Bandwidth Manager.
- C. Use Expressway deployment.
- D. Use Call Allow Controller.

Correct Answer: B

QUESTION 2

What does VoIP trace in a Cisco Unified Border Element do?

- A. It stores all call trace data in system log files for successful and failed calls.
- B. It stores all call trace data in system file logs for failed calls.
- C. It stores all call trace data in system memory for failed calls.
- D. It stores all call trace data in system memory for successful and failed calls.

Correct Answer: D

QUESTION 3

An engineer is configuring a Cisco UCM solution. The requirements state that some users in one location will receive calls from a number during work hours 09AM to 5PM, and another group will get the calls from the same number outside this defined timeslot. Users will also change the outgoing number when reaching out to customers based on the same time-of-day routing rules. Which feature is needed to allow for this type of configuration?

- A. partitions
- B. CSS
- C. route groups
- D. route lists

Correct Answer: B

**QUESTION 4**

An administrator configured Extension Mobility on Cisco UCM. Users report that logins are successful, but the phones do not have an Extension Mobility option after logging in. The administrator verified that Extension Mobility is enabled on the devices and that the log-out profile is valid. Which action must the administrator take to resolve the issue?

- A. Subscribe all device profiles to the Extension Mobility phone service.
- B. Delete the identity trust list file from the phone(s).
- C. Change the Extension Mobility URL from HHTP to HTTPS.
- D. Restart the Cisco Extension Mobility and Cisco Extension Mobility application services.

Correct Answer: A

QUESTION 5

Which built-in bridge configuration option can be set on the individual IP phones to ensure that the cluster-wide service parameter is used?

- A. automatic
- B. default
- C. on
- D. off

Correct Answer: B

[300-815 PDF Dumps](#)

[300-815 VCE Dumps](#)

[300-815 Practice Test](#)