



# 300-820<sup>Q&As</sup>

Implementing Cisco Collaboration Cloud and Edge Solutions (CLCEI)

## Pass Cisco 300-820 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/300-820.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

When determining why Mobile and Remote Access to Cisco TelePresence equipment does not work anymore for an organization. There are several administrators and configuration changes could have happened without anyone knowing. Internal communication seems to be working, but no external system can register or call anywhere. Gathering symptoms, you also discover that no internal systems can call out either.

What is TraversalZone missing that causes this issue?

- A. link to the DefaultZone
- B. pipe to the DefaultZone
- C. SIP trunk to the DefaultZone
- D. route pattern to the DefaultZone

Correct Answer: A

---

### QUESTION 2

What is the first step to restoring an Expressway cluster from a backup?


- A. use the backup that is specific to each Expressway peer in the cluster
- B. upgrade each Expressway peer to the latest Expressway software
- C. remove each Expressway peer from the cluster
- D. add all the Expressway peers to the cluster

Correct Answer: C

To restore a backup, you need to take the Cisco Expressway unit out of service before doing a restore. If you are doing a restore on a clustered Cisco Expressway, you need to first remove it from the cluster. You cannot restore a backup on a node that is still a member of a cluster. Use a standalone Cisco Expressway to restore it to a previous configuration of system data.

---

### QUESTION 3



Refer to the exhibit. A Cisco Webex device on an enterprise network has identified the given STUN round-trip delays in milliseconds to the enterprise Video Mesh clusters and two Webex Cloud Media clusters during the call setup. Which correct sequence of clusters is the client connecting to?

- A. US West Coast WCMC. If US West Cost WCMC is full, then Europe WCMC because clients select clusters in the order of SRT delays.
- B. DC Europe. If DC Europe is full, DC APAC because clients select on-premises clusters in the order of SRT delays before using cloud resources,
- C. DC Europe. If DC Europe is full, US West Coast WCMC because clients select resources in the order of SRT delays but ignore SRTs greater than 250 ms
- D. US West Coast WCMC. Clients continuously monitor DC US cluster and reconnect when DC US are available to save bandwidth.

Correct Answer: C

Local reachable Video Mesh resources are tried first, in order of lowest SRT delay. When all local resources are exhausted, the participant connects to the cloud.

While the preference for node selection is your locally deployed Video Mesh nodes, we support a scenario where, if the STUN round-trip (SRT) delay to an on-premises Video Mesh cluster exceeds the tolerable round-trip delay of 250 ms (which usually happens if the on-premises cluster is configured in a different continent), then the system selects the closest cloud media node in that geography instead of a Video Mesh node. [https://www.cisco.com/c/en/us/td/docs/voice\\_ip\\_comm/cloudCollaboration/wbxt/videomesh/cmgt\\_b\\_webex-video-mesh-deployment-guide/cmgt\\_b\\_hybrid-media-deployment-guide\\_chapter\\_010.html](https://www.cisco.com/c/en/us/td/docs/voice_ip_comm/cloudCollaboration/wbxt/videomesh/cmgt_b_webex-video-mesh-deployment-guide/cmgt_b_hybrid-media-deployment-guide_chapter_010.html)

#### QUESTION 4



How is the communication routed in a Hybrid deployment so that people on Cisco Cloud-Based IM are able to communicate with Cisco Jabber users in the on-premises environment?

- A. The Expressway-C enables a connection directly with the Cisco Webex Cloud to enable the hybrid service and allow the two services to communicate.
- B. The Expressway-E located in the DMZ establishes a connection with the Cisco Webex Cloud to enable the hybrid service and allow the two services to communicate.
- C. The Cisco Unified IM and Presence server establishes a connection using the outgoing path through the Cisco Expressways that terminates in the Cisco Webex Cloud to create the hybrid environment that links the two services together.
- D. The Cisco UC server establishes a connection using the outgoing path through the Cisco Expressways that terminates in the Cisco Webex Cloud to create the hybrid environment that links the two services together.

Correct Answer: A

#### QUESTION 5

	Expressway-C	Expressway-E
Name	Enter TraversalZone	Enter TraversalZone
Type		
Username	Enter exampleauth	Enter exampleauth
Password	Enter ex4mp13.c0m	Not applicable
H.323 Mode	On	On
H.323 Protocol	Assent	Assent
H.323 Port	Enter 6001	Enter 6001
H.323 H.460.10 demultiplexing mode	Not applicable	Off
SIP Mode	On	On
SIP Port	Enter 7001	Enter 7001
SIP Transport	TLS	TLS
SIP TLS verify mode	Off	Off
SIP Accept proxied registrations	Allow	Off
Location Peer 1 address	Enter 192.0.2.2	Not applicable

Refer to the exhibit. What are "Type" field values for this Expressway servers zone configuration?

- A. Expressway-C "DNS", Expressway-E "Traversal server"
- B. Expressway-C "Traversal server", Expressway-E "Traversal client"



C. Expressway-C "Neighbor", Expressway-E "Neighbor"

D. Expressway-C "Traversal client", Expressway-E "Traversal server"

Correct Answer: D

[300-820 PDF Dumps](#)

[300-820 VCE Dumps](#)

[300-820 Practice Test](#)