



# 300-915<sup>Q&As</sup>

Developing Solutions using Cisco IoT and Edge Platforms (DEVIOT)

## Pass Cisco 300-915 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/300-915.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

Which two statements define the mechanism for console access of the Guest Operating System from the Cisco IR829 router? (Choose two.)

- A. The Guest OS can be accessed by default on Telnet port 2070 from the Cisco IR829 console.
- B. The Guest OS console is available directly by the AUX port 3362 from the Cisco IR829 router.
- C. The Guest OS can be accessed directly using the console port on the Cisco IR829 router.
- D. The Guest OS can be accessed by initiating SSH from the Cisco IR829 console.
- E. The Guest OS console is available only when a static IP is configured on the host.

Correct Answer: AD

---

### QUESTION 2

Which two data sources are used with a visualization tool such as Grafana? (Choose two.)

- A. Microsoft Power BI
- B. Kibana
- C. InfluxDB
- D. Elasticsearch
- E. Tableau

Correct Answer: CD

---

### QUESTION 3

Which two states are applications expected to be seen in when they are managed on Cisco IOx? (Choose two.)

- A. DEACTIVATED
- B. ACTIVATED
- C. ALLOWED
- D. STOPPED
- E. VALIDATED

Correct Answer: BD

---



#### QUESTION 4

Which two commands inside a Docker container on a gateway help to troubleshoot why the compute performance of the device is slowing down? (Choose two.)

- A. show processes
- B. top
- C. wmic
- D. ps
- E. proc

Correct Answer: BD

---

#### QUESTION 5

As part of an IoT project, an organization is developing an edge application that will run on a gateway to securely transmit sensor information it receives into an IoT cloud. Based on the Agile software development lifecycle, the development team is planning to implement a CI/CD pipeline.

Which two methods should be suggested to make the software development lifecycle more secure during the implementation and testing? (Choose two.)

- A. Perform automated code reviews prior to deployment.
- B. Implement auto-provisioning security inspection for the code.
- C. Perform on-going penetration testing on the system.
- D. Perform a GAP analysis on current security activities and policies.
- E. Train members of the team in a secure software development lifecycle methodology such as OWASP.

Correct Answer: DE

[300-915 PDF Dumps](#)

[300-915 Practice Test](#)

[300-915 Exam Questions](#)