

300-920^{Q&As}

Developing Applications for Cisco Webex and Webex Devices (DEVWBX)

Pass Cisco 300-920 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/300-920.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

Which REST API request is used to list all the Webex Room Kit devices within a large organization so that a new custom In-Room Control can be deployed on all the devices?

```
A. var request = require("request');
var options = { method: 'GET',
url: 'https://api.ciscospark.com/v1/devices',
qs: { product: 'Roomkit' },
headers:
{ 'Content Type': 'application/json',
Authorization: 'Bearer Yz6FgoWx7Pgb57C9z' }};
request(options, function(error, reponse, body) {
if (error) throw new Error(error);
console.log(body);
});
```



```
var request = require("request");
var options = { method: 'GET',
url: 'https://api.ciscospark.com/v1/devices',
qs: { upgradeChannel: 'Rcomkit' },
headers:
{ 'Content Type': 'application/json',
Authorization: 'Bearer Yz6FgoWx7Pgb57C9z' }};
request(options, function(error, reponse, body) {
if (error) throw new Error(error);
console.log(body);
});
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Correct Answer: A

The qs: option is required to list all roomkit devices. Product: `RoomKit\\' is the correct option because it will list all roomkit devices.

QUESTION 2

What happens if a meeting is in progress when a DelMeeting request is sent in the Webex Meetings XML API?

A. The meeting host is notified and prompted to allow the meeting to be deleted.

VCE & PDF GeekCert.com

https://www.geekcert.com/300-920.html

2024 Latest geekcert 300-920 PDF and VCE dumps Download

- B. The DelMeeting request drops all call-in users and deletes the meeting.
- C. The DelMeeting request waits until the meeting is completed and then deletes the meeting.
- D. The DelMeeting request results in an error.

Correct Answer: A

Reference: https://pdfslide.net/documents/webex-we.html (p.216)

QUESTION 3

Which two tasks should use a Webex bot instead of aWebex integration? (Choose two.)

- A. Ask a question in natural language to obtain the current price of a stock.
- B. Translate a word or phrase from Italian to English.
- C. Notify all users who send a 1:1 message that the user is currently out of the office.
- D. Automatically delete a message that was sent with spelling or grammatical errors.
- E. Archive all the messages in a group space.

Correct Answer: AB

Reference: https://developer.webex.com/docs/bots

QUESTION 4

With CE 9.8 and above, which two statements are correct when an application is sending and receiving data over a connection established with an xAPI interface? (Choose two.)

- A. All Serial, SSH, and WebSockets can be used to send and receive data.
- B. HttpClient can be used to send requests but not receive responses.
- C. HttpFeedback is the only option to receive data.
- D. The HttpClient command can be used to send requests and read responses over HTTP.
- E. WebSockets is the only option to send and receive data.

Correct Answer: BD

Reference: https://www.cisco.com/c/dam/en/us/td/docs/telepresence/endpoint/ce98/sx-mx-dx-room-kit-boards-customization-guide-ce98.pdf

QUESTION 5

DRAG DROP

VCE & PDF GeekCert.com

https://www.geekcert.com/300-920.html

2024 Latest geekcert 300-920 PDF and VCE dumps Download

The Express framework receives a Webex Teams webhook event when someone presses a button in an Adaptive Card. Drag and drop the property names onto the code snippet to access the form field named "preference". Not all options are used.

Select and Place:

app.use	(express.json()); ('/cardcatcher', function(req, res){
web	bex.attachmentActions. (req.bodyid)
.th	nen(cardSubmission => {
	<pre>lunchPreference = cardSubmissionpreference;</pre>
})	
});	
	action data form
	get inputs post

Correct Answer:

```
app.use(express.json());
app. post ('/cardcatcher', function(req, res) {
    webex.attachmentActions. action (req.body. form .id)
    .then(cardSubmission => {
        lunchPreference = cardSubmission. data .preference;
    })
});
```

get inputs

Reference: https://github.com/marchfederico/ciscospark-websocket-events

300-920 Practice Test

300-920 Study Guide

300-920 Braindumps