



301A^{Q&As}

BIG-IP LTM Specialist: Architect, Set up, Deploy

Pass F5 301A Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/301a.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by F5 Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

While working with a web developer, it is determined that additional logic is required to assess the pool member availability.

Which two monitor types should be used in this scenario? (Choose two)

- A. TCP
- B. Scripted
- C. Gateway ICMP
- D. TCP Echo
- E. External

Correct Answer: BE

QUESTION 2

Exhibit.



The LTM devices LTM1 and LTM2 are configured in a Device Group (Sync Failover) with Network Failover configured on both the management and HA and Internal VLANS. and ConfigSync is configured in a Device Group (Sync Failover) with Network Failover and internal are tagged on a single trunk with subnets Connection Mirroring is configured on both the HA interlace directly connected between LTM1 and LTM2, and the management interlace is connected to a management switch. The LTM devices have four Traffic Groups defined, and both LTM devices are healthy and capable of passing traffic for any of the Traffic Groups. An LTM Specialist disconnects the cable for the HA network in an effort to test failover. Which HA functionality works in this case?

- A. ConfigSync does NOT work. Connection Mirroring does NOT work.
- B. ConfigSync works Connection Mirroring works
- C. ConfigSync works. Connection Mirroring does NOT work
- D. ConfigSync does NOT work; Connection Mirroring works

Correct Answer: D



QUESTION 3

An LTM Specialist needs to enable TCP connection re-use for a non-HTTP application. The application uses a simple request response protocol where each request and response is contained within a single packet.

Which configuration option should the LTM Specialist adjust?

- A. increase the connection limit for pool members
- B. increase the idle Timeout in a custom TCP profile
- C. use a Performance (Layer 4) Virtual Server
- D. assign a OneConnect profile

Correct Answer: D

QUESTION 4

A new iRule needs to be tested. The LTM Specialist needs to measure page load times and monitor potential changes in memory usage. A load test is scheduled. Which two features should the LTM Specialist use to monitor these requirements? (Choose two.)

- A. Tmsh show memory
- B. Analytics
- C. Tmsh show sys proc-info
- D. Tmsh show sys provision

Correct Answer: BC

Need to detect memory changes in real time, use to Page load times with Analytics profile

QUESTION 5

Refer to the exhibit.



An LTM Specialist has multiple SNAT and virtual server objects configured as in the bigip.conf shown. The LTM Specialist tests a connection from a client with IP 172.163.31.11 to 192.168.0.100:80. Which two objects will show an increase in Local Traffic statistics connections?

- A. VS_AandSNAT_B
- B. VS_BandSNAT_B
- C. VS_B and SNAT A
- D. VS_A and SNAT A

Correct Answer: A

[Latest 301A Dumps](#)

[301A PDF Dumps](#)

[301A Braindumps](#)