



# 301A<sup>Q&As</sup>

BIG-IP LTM Specialist: Architect, Set up, Deploy

## Pass F5 301A Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/301a.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by F5 Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

A LTM device needs to load balance active and passive FTP traffic while using only a single virtual server. Which virtual server type should an LTM Specialist configure on the LTM device?

- A. Forwarding (Layer 2)
- B. Standard
- C. Stateless
- D. DHCP relay
- E. Forwarding (IP)

Correct Answer: E

---

### QUESTION 2

An LTM Specialist configures a new HTTPS virtual server that contains a valid example.com ssl certificate. The LTM Specialist receives an error in the browser when connecting. What must be added to the SSL Client profile to fix this issue?

- A. A self-sign certificate
- B. A new example com certificate
- C. An intermediate certificate
- D. A public root certificate

Correct Answer: C

---

### QUESTION 3

An LTM Specialist needs to use a set of addresses to access an Internet website in an outbound configuration.

Which feature should the LTM Specialist configure?

- A. NAT pool
- B. NAT address
- C. SNAT pool
- D. SNAT address

Correct Answer: C

---



#### QUESTION 4

An LTM Specialist needs to create a pool with a set of monitor that checks both the pool members and corresponding application service ports. The pool members have services on port 80. The application service is on port 8009. The LTM device should load balance traffic to the pool member when the pool member and corresponding application service pass monitor. Which monitor and parameter set meets this requirement?

- A. TCP monitor for port\* Plus a custom TCP monitor with alias port 8009, And the pool\'s availability requirements set to the ALL
- B. TCP monitor for port Plus a custom TCP monitor with alias port 8009, And the pool\'s availability requirement set to All
- C. TCP monitor for port\* Plus a custom TCP monitor with alias port 8009 And the pool `s availability requirement set to 1.
- D. TCP monitor for port Plus a custom TCP monitor with alias port 80 And the pool\'s availability requirement set to ALL

Correct Answer: A

---

#### QUESTION 5

An LTM device receives a response string containing "error" Which monitor type and parameter will mark the HTTP server as down?

- A. HTTP monitor, Receive String "error", and set the Reverse option to Yes
- B. HTTP monitor and Receive String "error\\\' ... flag is up
- C. HTTP monitor. Receive String "down", and set the Reverse option to Yes .... flag is
- D. HTTP monitor and Receive Disable String "error\\\' .... flag is disable

Correct Answer: A

[301A PDF Dumps](#)

[301A Practice Test](#)

[301A Study Guide](#)