



301A^{Q&As}

BIG-IP LTM Specialist: Architect, Set up, Deploy

Pass F5 301A Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/301a.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by F5 Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

An LTM Specialist has recently taken over administration of an LTM device that has experienced resource availability issues. The LTM device will need to be solely used for load balancing and SSL offload. Previously, the LTM device was also used to provide statistical analysis of application traffic. However, that functionality has been moved to a third party solution. Based on the output below, which configuration change should be made to ensure the LTM module receives the most amount of resources?



- A. Provision AVR to Minimum. Provision LTM at Maximum
- B. Provision AVR to none. Provision LTM to Dedicated
- C. Provision AVR to Minimum, Provision LTM to Dedicated
- D. Provision LTM to Dedicated, Provision AVR to Dedicated

Correct Answer: B

QUESTION 2

Refer to the exhibit.




An LTM Specialist has multiple SNAT and virtual server objects configured as in the bigip.conf shown. The LTM Specialist tests a connection from a client with IP 172.163.31.11 to 192.168.0.100:80. Which two objects will show an increase in Local Traffic statistics connections?

- A. VS_AandSNAT_B
- B. VS_BandSNAT_B
- C. VS_B and SNAT A
- D. VS_A and SNAT A

Correct Answer: A

QUESTION 3

A node is assigned two monitors as seen in this configuration.



What is the status of a member that runs on that node and listens on port 443?

- A. UNKNOWN
- B. UNAVAILABLE
- C. DOWN
- D. UP

Correct Answer: B

QUESTION 4

An LTM Specialist is configuring a client profile to offload processing a new application Company policy requires that clients can resume session for up to 30 minutes, but must renegotiate a new session after that.

Which setting should the LTM Specialist change to satisfy this requirement?

- A. Renegotiate Max Record Delay
- B. Renegotiation period
- C. Cache size
- D. Cache timeout



Correct Answer: D

QUESTION 5

What should an LTM Specialist configure on an LTM device to send AVR notification emails?

- A. Email notification to be sent via iControl from the LTM device
- B. Syslog on the LTM device to send to an SMTP server
- C. Custom SNMP traps on the LTM device for AVR notifications
- D. Email notification to be sent via SMTP from the LTM device

Correct Answer: D

[Latest 301A Dumps](#)

[301A PDF Dumps](#)

[301A Study Guide](#)