VCE & PDF
GeekCert.com

304-150^{Q&As}

LPI Level 3 Exam 304, Senior Level Linux Certification, Virtualization & High Availability

Pass Lpi 304-150 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/304-150.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Lpi Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

Which command could be used to generate an ID that uniquely identifies the virtual machine in Xen?

A. uuid

B. uuidgen

C. xm uuid domainid

D. openssl uuid

Correct Answer: B

QUESTION 2

Which statements are true about container based virtualization? (Select TWO correct answers)

A. As many VMs may run as system resources permit but only Linux supports container based virtualization.

B. As many OS versions may be used as system resources permit.

C. Only the same OS as the host system can be used.

D. The VMs must use the same kernel as the host system.

E. This allows running of Windows containers on a Linux host.

Correct Answer: CD

QUESTION 3

Which command will indicate whether a DRBD resource is a primary or secondary resource?

A. drbdadm verify resource

B. drbdadm list resource

C. drbdadm cstate resource

D. drbdadm role resource

Correct Answer: D

QUESTION 4

In order to have all requests matching the ACL acl_static_content directed to the servers defined in server_pool, which HAProxy directive is required in the following declaration? (Specify ONLY the missing directive)

_____ server_pool if acl_static_content

Your Response:

Correct Answer: use_backend

QUESTION 5

Which one of the following is NOT the name of a tool that can be used to manage virtual machines in a KVM environment?

A. virtviewer

B. virtclone

C. virtinstall

D. virtimg

E. virtmanager

Correct Answer: D

[304-150 PDF Dumps](#)   [304-150 Exam Questions](#)   [304-150 Braindumps](#)