



304-200^{Q&As}

LPIC-3 Exam 304: Virtualization & High Availability, version 2.0

Pass Lpi 304-200 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/304-200.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Lpi Official Exam Center

- ⚙ **Instant Download** After Purchase
- ⚙ **100% Money Back** Guarantee
- ⚙ **365 Days** Free Update
- ⚙ **800,000+** Satisfied Customers





QUESTION 1

Which of the following statements are true regarding a load balancer? (Choose TWO correct answers.)

- A. Failover clusters are not operational without at least one dedicated load balancer.
- B. All response packages sent from a backend server to a client must pass through the load balancer.
- C. The load balancer is usually deployed on one of the backend servers.
- D. Load balancers may be able to analyze traffic.
- E. All incoming connections to the cluster services are received by the load balancer.

Correct Answer: DE

QUESTION 2

Which of the following tools is used to interact with XenStore?

- A. xenstore-ls
- B. xendo
- C. xs
- D. xl store
- E. xstore

Correct Answer: A

QUESTION 3

What is the name of the global configuration file for the xl tool stack? (Specify the file name only without any path.)

- A. /etc/xen/xl.conf -or- xl.conf

Correct Answer: A

QUESTION 4

How can the state of the backing storage disks of a DRBD device be checked? (Choose TWO correct answers.)

- A. cat /proc/drdb/status
- B. cat /proc/drdb



- C. drbdadm dstate all
- D. drbdadm diskstatus all
- E. drbdadm state --disk all

Correct Answer: BC

QUESTION 5

When using DRBD in a Pacemaker cluster, which configuration objects must be managed in order to use the DRBD device as storage for other cluster services? (Choose TWO correct answers.)

- A. A security resource in order to permit other cluster services to access the data on the DRBD device.
- B. A health resource in order to check the integrity of the file system.
- C. A file system resource to mount the device.
- D. A replication resource that synchronizes the DRBD device's data to all nodes that may take over the device after a failover.
- E. A constraint to ensure the device is mounted before the dependent services are started.

Correct Answer: CE

[Latest 304-200 Dumps](#)

[304-200 Practice Test](#)

[304-200 Exam Questions](#)