



# 3102.1<sup>Q&As</sup>

Avaya Aura® Session Manager and System Manager Implementation and Maintenance Exam

**Pass Avaya 3102.1 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/3102-1.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Avaya Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





#### QUESTION 1

On a SIP Entity that is defined as type session Manager, what should be defined?

- A. an adaptation
- B. listening ports
- C. an outbound proxy
- D. a credential name

Correct Answer: B

---

#### QUESTION 2

From where can a System Manager (SMGR) export of user data be performed?

- A. from an SSH session with the System Platform Dom-0
- B. from an SSH session with the System Manager virtual machine
- C. from an SSH session with the System Platform C-Dom (utilities domain)
- D. from a web client access System Manager web interface User Management

Correct Answer: D

---

#### QUESTION 3

Which statement describes the purpose of Timer B?

- A. Timer B determines the maximum allowable call duration.
- B. Timer B determines the length of time Session Manager allows a telephone to ring before canceling the call and routing it elsewhere.
- C. Timer B determines the maximum time period between a dispatched request and the anticipated "200 OK".
- D. Timer B determines the period of time a Session Manager waits for a response before canceling the request and perhaps routes it elsewhere.

Correct Answer: D

---

#### QUESTION 4



Avaya products ensure that authentication credentials and file transfers are protected when sent across the network by using which three methods? (Choose three)

- A. Telnet
- B. HTTPS
- C. Secure Shell (SSH)
- D. Secure Copy (SCP)
- E. HTTP

Correct Answer: BCD

---

#### QUESTION 5

While reviewing the Event Logs on the Session Manager, you notice an ALERT message:

(OP\_AFW17504) "SIP firewall white list configuration failed, retaining existing configuration."

Which action should you perform when you see this alert?

- A. Access the SIP firewall white list configuration and verify that the configuration is correct.
- B. Access the SIP firewall configuration and change the RULE log type to none to not have these ALERTS appear in the EVENT logs.
- C. Access the SIP firewall configuration and Load the ASM Default Configuration.
- D. Disregard these messages as they are sent to the Event Logs and do not generate alarms.

Correct Answer: A

[3102.1 PDF Dumps](#)

[3102.1 VCE Dumps](#)

[3102.1 Study Guide](#)