350-901^{Q&As}

Developing Applications Using Cisco Core Platforms and APIs (DEVCOR)

Pass Cisco 350-901 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.geekcert.com/350-901.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

365 Days Free Update

800,000+ Satisfied Customers

QUESTION 1

Refer to the exhibit , The command docker build -tag=friendlyhello . is run to build a docker image from the given Dockerfile, requirements,txt, and app.py, Then the command docker run -p 4000:80 friendlyhello is executed to run the

application.

Which URL is entered in the web browser to see the content served by the application?

A. http://localhost:4000

B. http ://localhost:80

C. http ://127.0.0.1:80

D. http:///4000:80

Correct Answer: A

QUESTION 2

A developer is working on a bug fix. The existing branch named `bugfix05328\\' needs to be merged with the current working primary branch named `prim404880077\\'. All changes must be integrated into a single commit instead of preserving them as individual commits. Which git command must be used?

A. git checkout -squash bugfix05328

B. git merge -squash bugfix05328

C. git rebase -merge bugfix05328

D. git push -rebase bugfix05328

Correct Answer: B

QUESTION 3

A developer must deploy a containerized application foe network device inventory management. The developer sets up a Kubernetes duster on two separate hypervisors. The SLA is not currently meeting a specified maximum value for network latencyjitter CPU/memory and disk I/O are functioning property. Which two design approaches resolve the issue\\'\\' (Choose two.)

A. Colocate services in the same pod

B. Replace the HDD drives with SSD drives

C. Enable IPv6 within the duster

D. Deploy the duster to a bare metal server

E. Upgrade the server NIC card

Correct Answer: AE

QUESTION 4

Refer to the exhibit.

```
curl --insecure -H "Accept: application/json" -H "Content-Type:
application/json" -d @token_data https://ast0072-
pod.cisco.com:33333//api/fdm/latest/fdm/token
```

The cURL POST request creates an OAuth access token for authentication with FDM API requests. What is the purpose of the file "@token_data" that cURL is handling?

A. This file is a container to log possible error responses in the request.

B. This file is given as input to store the access token received from FDM.

C. This file is used to send authentication related headers.

D. This file contains raw data that is needed for token authentication.

Correct Answer: D

QUESTION 5

Which command is used to enable application hosting on a Cisco IOS XE device?

A. app-hosting

B. application-hosting

C. iox

D. iox-service

Correct Answer: A

[350-901 VCE Dumps](#)   [350-901 Exam Questions](#)   [350-901 Braindumps](#)