



351-018^{Q&As}

CCIE Security written

Pass Cisco 351-018 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/351-018.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

IPsec SAs can be applied as a security mechanism for which three options? (Choose three.)

- A. Send
- B. Mobile IPv6
- C. site-to-site virtual interfaces
- D. OSPFv3"
- E. CAPWAP
- F. LWAPP

Correct Answer: BCD

QUESTION 2

A Cisco IOS router is configured as follows:

```
ip dns spoofing 192.168.20.1
```

What will the router respond with when it receives a DNS query for its own host name?

- A. The router will respond with the IP address of the incoming interface.
- B. The router will respond with 192.168.20.1 only if the outside interface is down.
- C. The router will respond with 192.168.20.1.
- D. The router will ignore the DNS query and forward it directly to the DNS server.

Correct Answer: A

QUESTION 3

As defined by Cisco TrustSec, which EAP method is used for Network Device Admission Control authentication?

- A. EAP-FAST
- B. EAP-TLS
- C. PEAP
- D. LEAP

Correct Answer: A



QUESTION 4

Which Cisco IOS IPS signature action denies an attacker session using the dynamic access list?

- A. produce-alert
- B. deny-attacker-inline
- C. deny-connection-inline
- D. reset-tcp-action
- E. deny-session-inline
- F. deny-packet-inline

Correct Answer: C

QUESTION 5

Refer to the exhibit.



A customer has an IPsec tunnel that is configured between two remote offices. The customer is seeing these syslog messages on Router B:

```
%CRYPTO-4-PKT_REPLAY_ERR: decrypt: replay check failed connection id=x, sequence number=y
```

What is the most likely cause of this error?

- A. The customer has an LLQ QoS policy that is configured on the WAN interface of Router A.
- B. A hacker on the Internet is launching a spoofing attack.



- C. Router B has an incorrectly configured IP MTU value on the WAN interface.
- D. There is packet corruption in the network between Router A and Router B.
- E. Router A and Router B are not synchronized to the same timer source.

Correct Answer: A

[Latest 351-018 Dumps](#)

[351-018 Exam Questions](#)

[351-018 Braindumps](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

- 100% Guaranteed Success
- 100% Money Back Guarantee
- 365 Days Free Update
- Instant Download After Purchase
- 24x7 Customer Support
- Average 99.9% Success Rate
- More than 800,000 Satisfied Customers Worldwide
- Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.geekcert.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.
All trademarks are the property of their respective owners.
Copyright © geekcert, All Rights Reserved.