



# 351-080<sup>Q&As</sup>

CCIE Data Center Written

## Pass Cisco 351-080 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/351-080.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco  
Official Exam Center


-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

Refer to the exhibit.



According to the equipment tab in Cisco UCS Manager, which is true?

- A. A is an uplink port, B is a fabric port, C is a server port, D is a backplane port, E is a DCE interface, and F is a vNIC
- B. A is an uplink port, B is a server port, C is a fabric port, D is a backplane port, E is a DCE interface, and F is a vNIC
- C. A is an uplink port, B is a fabric port, C is a backplane port, D is a server port, E is a DCE interface, and F is a vNIC
- D. A is an uplink port, B is a server port, C is a fabric port, D is a DCE interface, E is a backplane port, and F is a vNIC
- E. A is an fabric port, B is a downlink port, C is an uplink port, D is a server port, E is a VIC interface, and F is a vNIC

Correct Answer: B

### QUESTION 2

Cisco FabricPath uses what as a common bridge ID to connected Spanning Tree Protocol bridges?

- A. C84C.75FA.6000
- B. 0100.5E11.02FD
- C. C84C.76FA.6000



D. 4000.0000.0001

Correct Answer: A

---

### QUESTION 3

Your company wants Server 1/eth0 (vNIC 1) configured so that it always uses Fabric Interconnect A Port Channel 1 (Po1) when it communicates with anything outside of the Cisco UCS domain. However, if vNIC 1 fails over to Fabric Interconnect B using fabric failover, then vNIC 1 can use any uplink port on Fabric Interconnect B.

Which statements are true? (Choose two.)

- A. The fabric interconnects must be in end-host mode.
- B. A pin group must be configured on the server tab in Cisco UCS Manager.
- C. In the service profile for Server 1, vNIC 1 must be explicitly assigned to a pin group.
- D. Server 1 cannot be configured to meet the requirement. A server can only be manually pinned to a single physical interface and not a port channel because of the LACP load- balancing algorithm.
- E. Server 1 cannot be configured to meet the requirement. A server is either manually pinned to an uplink on both fabric interconnects or the server is automatically pinned, but not both.

Correct Answer: AC

---

### QUESTION 4

Overlay Transport Virtualization (OTV) overlay interface is a logical multi access and multicast-capable interface that must be explicitly defined by the user and where the entire OTV configuration is applied.

Which statements are true about OTV overlay interface? (Choose two.)

- A. When an OTV edge device receives a Layer 2 frame destined for a remote data center site, the frame is logically forwarded to the overlay interface.
- B. The OTV edge device performs the dynamic OTV encapsulation on the Layer 2 packet and sends it to the join interface toward the routed domain.
- C. When the OTV edge device receives a Layer 2 frame destined for a remote data center site, the frame is logically forwarded to the join interface.
- D. The OTV edge device performs the dynamic OTV encapsulation on the Layer 2 packet and sends it to the overlay interface toward the routed domain.

Correct Answer: AB

---

### QUESTION 5

Refer to the exhibit.



Which statement about these commands is true?

- A. The outputs of the debug are redirected on file test on the "log." directory.
- B. The outputs of the debug are redirected to the logging buffer.
- C. The command does not have an effect unless you configure "debug enable".
- D. If you are on a console connection, the outputs are shown after the event occurs.

Correct Answer: A

Explanation: Ref: [http://www.cisco.com/web/techdoc/dc/reference/cli/nxos/commands/fund/debug\\_logfile.htm](http://www.cisco.com/web/techdoc/dc/reference/cli/nxos/commands/fund/debug_logfile.htm) |

[Latest 351-080 Dumps](#)

[351-080 PDF Dumps](#)

[351-080 Braindumps](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

## Try our product !

- 100% Guaranteed Success
- 100% Money Back Guarantee
- 365 Days Free Update
- Instant Download After Purchase
- 24x7 Customer Support
- Average 99.9% Success Rate
- More than 800,000 Satisfied Customers Worldwide
- Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.geekcert.com/allproducts>

## Need Help

Please provide as much detail as possible so we can best assist you.  
To update a previously submitted ticket:



 <b>One Year Free Update</b> <p>Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <b>Money Back Guarantee</b> <p>To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <b>Security &amp; Privacy</b> <p>We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information &amp; peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.  
All trademarks are the property of their respective owners.  
Copyright © geekcert, All Rights Reserved.