



3V0-21.21^{Q&As}

Advanced Design VMware vSphere 7.x

Pass VMware 3V0-21.21 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/3v0-21-21.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by VMware
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

An architect is designing a new greenfield environment with 600 ESXi hosts in an automated fashion. The engineering department already has a PXE Boot server, TFTP server, and DHCP server set up with an NFS mount for their current Linux servers.

The architect must be able to demonstrate and meet a security requirement to have all infrastructure processes separated.

Which recommendation should the architect make for the ESXi host deployment?

- A. Request an isolated network segment to use and dedicate it to Auto Deploy functions
- B. Ask the business to expand the engineering environment to service the virtual environment as well
- C. Request a common shared network with flexible security measures to accommodate different auto deployment options
- D. Deploy each ESXi host individually and document it to satisfy security requirements

Correct Answer: C

QUESTION 2

Which two of the listed requirements would be classified as performance non-functional requirements? (Choose two.)

- A. The vSphere platform must be able to provide a recovery time objective of 30 minutes
- B. The vSphere platform must be able to provide a minimum throughput of 400 MB/s
- C. The vSphere platform must be able to provide N+1 redundancy
- D. The vSphere platform must be able to provide a maximum read latency of 15 ms
- E. The vSphere platform must be able to provide a service-level agreement (SLA) of 99,9%

Correct Answer: AD

QUESTION 3

During a requirements gathering workshop, the customer provides the following requirement:

A new vSphere platform must be designed securely and all interfaces must be protected against potential snooping.

How should this non-functional security requirement be documented?

- A. Interfaces must be audited.
- B. Encrypted channels must be used for all communications.



- C. Unauthorized access to interfaces must be reported within 15 minutes.
- D. Communications must be through Private VLANs (PVLAN).

Correct Answer: A

QUESTION 4

An architect is designing a solution based on the following information:

Each ESXi host has a single physical NIC with two 10 Gbps ports.

There is a performance-based service-level agreement (SLA) that guarantees 15 Gbps bandwidth for production virtual machines at all times.

There is no budget to purchase additional hardware.

The hardware replacement SLA is based on a delivery agreement of two business days.

Which recommendation for the configuration of vSphere High Availability (HA) should the architect include in the design?

- A. Configure vSphere HA Configure % based admission control Configure two isolation addresses Consider an OEM with NIC failure conditions in their Proactive HA plugin
- B. Configure vSphere HA Set das.IgnoreRedundantNetWarning to true Consider an OEM with NIC failure conditions in their Proactive HA plugin
- C. Configure vSphere HA Configure two existing data stores for heartbeat Consider an OEM with NIC failure conditions in their Proactive HA plugin
- D. Configure Proactive HA Automation Level: Automated Remediation: Maintenance mode for all failures Consider an OEM with NIC failure conditions in their Proactive HA plugin

Correct Answer: A

QUESTION 5

A customer provides the following list of requirements for their vSphere platform:

REQ01 The solution should utilize dual network connections to eliminate single points of failure.

REQ02 The solution should allow logs to be retained for a period of 30 days.

REQ03 All user access to the platform should be recorded for audit purposes.

REQ04 The solution should allow the management of multiple ESXi hosts.

REQ05 The solution should allow users to view the remote console of virtual machines.



Which two of the listed requirements would be classified as non-functional requirements? (Choose two.)

- A. The solution should utilize dual network connections to eliminate single points of failure
- B. The solution should allow the management of multiple ESXi hosts
- C. The solution should allow users to view the remote console of virtual machines
- D. All user access to the platform should be recorded for audit purposes
- E. The solution should allow logs to be retained for a period of 30 days

Correct Answer: BE

[Latest 3V0-21.21 Dumps](#)

[3V0-21.21 PDF Dumps](#)

[3V0-21.21 Practice Test](#)