



# 3V0-42.20<sup>Q&As</sup>

Advanced Design VMware NSX-T Data Center

**Pass VMware 3V0-42.20 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/3v0-42-20.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by VMware  
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





### QUESTION 1

A Solutions Architect is designing an environment with 1,200 services being offered through the NSX-T Data Center Load Balancer.

Which three selections are necessary to meet the minimum requirements to support the solution? (Choose three.)

- A. Extra Large Load Balancer
- B. Tier 1 Gateway
- C. Tier 0 Gateway
- D. Large Edge Node
- E. Extra Large Edge Node
- F. Large Load Balancer

Correct Answer: BDF

---

### QUESTION 2

Which three assessment findings are part of a Conceptual Design? (Choose three.)

- A. risks
- B. host names
- C. justifications
- D. constraints
- E. assumptions
- F. vendor model

Correct Answer: ACD

---

### QUESTION 3

An architect is helping an organization with the Physical Design of an NSX-T Data Center solution.

This information was gathered during the Assessment Phase:

There is a critical application used by the Finance Team.

The critical application has an availability and recoverability SLA of 99.999%.

The critical application is sensitive to network changes.



---

Which two selections should an architect include in their design? (Choose two.)

- A. Configure Tier-0 gateway for eBGP and ECMP.
- B. Configure Tier-1 gateway for eBGP and ECMP.
- C. Enable BFD on Tier-0 gateway.
- D. Install and configure hosts with 100Gbps physical NICs.
- E. Configure multiple static routes on Tier-1 gateway.

Correct Answer: BD

---

#### QUESTION 4

What is a design justification for a solution with 3 NSX Manager nodes deployed in a 4 ESXi cluster Management Cluster? (Choose the best answer.)

- A. NSX Controllers are separated from NSX Managers allowing 6 ESXi servers to host them.
- B. NSX Management Plane and Control Plane will be reduced to a single point of failure.
- C. Compute consumption guarantees NSX Manager nodes can be run on the same ESXi host.
- D. Single point of failure on Control Plane and Management Plane will be mitigated.

Correct Answer: B

---

#### QUESTION 5

An architect is designing a solution for containerization. The solution will include high availability and security using NSX-T Data Center. The architect plans to provide a basic required components list in the Logical Design.

Which solution should the architect recommend? (Choose the best answer.)

- A. 3 NSX Managers, 3 virtual NSX Edges, two Tier-0 gateways in Active/Standby, BGP configuration
- B. 2 NSX Managers, 2 virtual NSX Edges, one Tier-0 gateway, BGP configuration and a static route
- C. 3 NSX Managers, 3 virtual NSX Edges, one Tier-0 gateway and a static route and OSPF
- D. 1 NSX Manager, 2 virtual NSX Edges, two Tier-0 gateways in Active/Active, BGP configuration

Correct Answer: A