



# 400-051<sup>Q&As</sup>

CCIE Collaboration Written

## Pass Cisco 400-051 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/400-051.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers





### QUESTION 1

What is the number of directory URIs with which a Cisco Unified Communications Manager directory number can be associated?

- A. 1
- B. up to 2
- C. up to 3
- D. up to 4
- E. up to 5

Correct Answer: E

Cisco Unified Communications Manager supports dialing using directory URIs for call addressing. Directory URIs look like email addresses and follow the username@host format where the host portion is an IPv4 address or a fully qualified domain name. A directory URI is a uniform resource identifier, a string of characters that can be used to identify a directory number. If that directory number is assigned to a phone, Cisco Unified Communications Manager can route calls to that phone using the directory URI. URI dialing is available for SIP and SCCP endpoints that support directory URIs.

---

### QUESTION 2

Which Cisco IOS-XE dial-peer command has the highest preference for inbound H.323 dial-peer matching?

- A. Destination-pattern
- B. Incoming called-number
- C. Answer-address
- D. Incoming URI to
- E. Incoming calling-number e164-pattern-map

Correct Answer: B

---

### QUESTION 3

Which tag in the SIP header is used by Cisco Unified Communications Manager to deliver a blended identity of alpha URI and number?

- A. x-cisco-callinfo
- B. x-cisco-service-control
- C. x-cisco-serviceuri



D. x-cisco-number

E. x-cisco-uri

Correct Answer: D

Cisco Unified Communications Manager supports blended addressing of directory URIs and directory numbers. When blended addressing is enabled across the network, Cisco Unified Communications Manager inserts both the directory URI and the directory number of the sending party in outgoing SIP Invites, or responses to SIP Invites. The destination endpoint has the option of using either the directory URI or the directory number for its response--both will reach the same destination. Cisco Unified Communications Manager uses the x-cisco-number tag in the SIP identity headers to communicate a blended address. When both a directory URI and directory number are available for the sending phone and blended addressing is enabled, Cisco Unified Communications Manager uses the directory URI in the From fields of the SIP message and adds the x-cisco-number tag with the accompanying directory number to the SIP identity headers. The x-cisconumber tag identifies the directory number that is associated with the directory URI.

References: [http://www.cisco.com/c/en/us/td/docs/voice\\_ip\\_comm/cucm/admin/10\\_0\\_1/ccmfeat/CUCM\\_BK\\_F3AC1C0F\\_00\\_cucm-features-services-guide-100/CUCM\\_BK\\_F3AC1C0F\\_00\\_cucm-features-services-guide100\\_chapter\\_0110011.html#CUCM\\_RF\\_D0008C2B\\_00](http://www.cisco.com/c/en/us/td/docs/voice_ip_comm/cucm/admin/10_0_1/ccmfeat/CUCM_BK_F3AC1C0F_00_cucm-features-services-guide-100/CUCM_BK_F3AC1C0F_00_cucm-features-services-guide100_chapter_0110011.html#CUCM_RF_D0008C2B_00)

#### QUESTION 4

Which message is used by a Cisco IOS MGCP gateway to send periodic keepalives to its call agent?

A. CRCX

B. AUCX

C. NTFY

D. RQNT

E. 200 OK

Correct Answer: C

The gateway maintains this connection by sending empty MGCP Notify (NTFY) keepalive messages to Cisco CallManager at 15-second intervals. If the active Cisco CallManager fails to acknowledge receipt of the keepalive message within

30 seconds, the gateway attempts to switch over to the next highest order Cisco CallManager server that is available.

If none of the Cisco CallManager servers respond, the gateway switches into fallback mode and reverts to its default H.323 session application for basic call control support of IP telephony activity in the network.

#### QUESTION 5

Refer to the exhibit.



```
router eigrp 1
!
  service-family ipv4 autonomous-system 1
    sf-interface loop0
      no split-horizon
    exit-sf-interface
  topology base
  exit-sf-topology
exit-service-family
!

client username cmcluster passwrod 0 password12345
domain 1 default

voice service saf
profile trunk-toute 1
  session protocol h323 interface Gig0/0 transport tcp port 1720
!
profile dn-block 1
pattern 1 type extension 3xxx

profile callcontrol 1
dn-service
trunk-route 1
dn-block 1
!
channel 1 vrouter 1 asystem 1
subscribe callcontrol wilddcarded
publish callcontrol 1
!
dial-peer voice 2000 voip
session target saf
destination-pattern 2...
```

A collaboration engineer was asked to attach a Cisco Unified CME to the Cisco UCM network of a client via SAF. The configuration was applied, but the Unified CME was not able to retrieve the dial plan. What must be changed about the configuration to allow the Unified CME to attach to the SAF network pass calls to and from the Unified CM network?

- A. Split-horizon must be enabled under EIGRP.
- B. The SAF EIGRP instance must be configured under a virtual instance name.
- C. The session target on the dial peers should point to the next-hop SAF forwarder.
- D. The Cisco Unified CME must be configured for SIP under voice service saf when communicating with Cisco Unified CM clusters over SAF.



VCE & PDF

GeekCert.com

<https://www.geekcert.com/400-051.html>

2021 Latest geekcert 400-051 PDF and VCE dumps Download

---

Correct Answer: D

[Latest 400-051 Dumps](#)

[400-051 PDF Dumps](#)

[400-051 Braindumps](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

## Try our product !

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.geekcert.com/allproducts>

## Need Help

Please provide as much detail as possible so we can best assist you.

To update a previously submitted ticket:



 <b>One Year Free Update</b> Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.	 <b>Money Back Guarantee</b> To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.	 <b>Security &amp; Privacy</b> We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.
---	---	--

Any charges made through this site will appear as Global Simulators Limited.

All trademarks are the property of their respective owners.

Copyright © geekcert, All Rights Reserved.