



400-151^{Q&As}

CCIE Data Center Written

Pass Cisco 400-151 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/400-151.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers






QUESTION 1

Which three modes of management models for the Layer 4 ?Layer 7 Service Graph are true? (Choose three.)

- A. network-centric mode
- B. application-centric mode
- C. service policy mode
- D. standalone mode
- E. service manager mode
- F. service-integrated mode
- G. network policy mode

Correct Answer: CEG

QUESTION 2



Refer to the exhibit. Which option is the minimum number of vNICs required by the service profile to connect to all available VLANs?

- A. 7
- B. 3
- C. 6
- D. 1

Correct Answer: B



QUESTION 3

Which two types of traffic are consolidated using Cisco Unified Fabric? (Choose two.)

- A. video traffic
- B. network traffic
- C. voice traffic
- D. SAN storage traffic
- E. InfiBand traffic

Correct Answer: BD

QUESTION 4



Refer to the exhibit. When adding an ASAv to the APIC, the user notices a fault raised on the device.

Which cause of this fault is the most likely?

- A. The configuration specified HTTP and not HTTPS.
- B. The incorrect username and password was used.
- C. The configuration did not specify "apic" as the username.
- D. The device package was never uploaded.

Correct Answer: B

QUESTION 5



Which two guidelines and limitations of policy-based routing are true? (Choose two.)

- A. A policy-based routing map can have multiple match or set statements per route-map statement.
- B. A match command can refer to more than one ACL in a route map used for policy-based routing.
- C. Policy-based routing and WCCPv2 are not supported on the same interface if bank chaining is disabled.
- D. An ACL used in a policy-based routing route map cannot include a deny statement.
- E. The same route map can be shared among different interfaces for policy-based routing as long as the interfaces belong to the same VRF instance.

Correct Answer: DE

[Latest 400-151 Dumps](#)

[400-151 Exam Questions](#)

[400-151 Braindumps](#)



To Read the [Whole Q&As](#), please purchase the [Complete Version](#) from [Our website](#).

Try our product !

- 100% Guaranteed Success
- 100% Money Back Guarantee
- 365 Days Free Update
- Instant Download After Purchase
- 24x7 Customer Support
- Average 99.9% Success Rate
- More than 800,000 Satisfied Customers Worldwide
- Multi-Platform capabilities - [Windows](#), [Mac](#), [Android](#), [iPhone](#), [iPod](#), [iPad](#), [Kindle](#)

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

<https://www.geekcert.com/allproducts>

Need Help

Please provide as much detail as possible so we can best assist you.
To update a previously submitted ticket:



 <p>One Year Free Update Free update is available within One Year after your purchase. After One Year, you will get 50% discounts for updating. And we are proud to boast a 24/7 efficient Customer Support system via Email.</p>	 <p>Money Back Guarantee To ensure that you are spending on quality products, we provide 100% money back guarantee for 30 days from the date of purchase.</p>	 <p>Security & Privacy We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.</p>
---	---	--

Any charges made through this site will appear as Global Simulators Limited.
All trademarks are the property of their respective owners.
Copyright © geekcert, All Rights Reserved.