

400-351^{Q&As}

CCIE Wireless Written

Pass Cisco 400-351 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.geekcert.com/400-351.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Cisco
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers



VCE & PDF GeekCert.com

https://www.geekcert.com/400-351.html

2021 Latest geekcert 400-351 PDF and VCE dumps Download

QUESTION 1

Which MSS value is appropriate on	a Cisco 5508 WLC in an	IPV6-only environment?
-----------------------------------	------------------------	------------------------

- A. 1236
- B. 2131
- C. 1285
- D. 1331

Correct Answer: D

QUESTION 2

Which option is a layer 1 cllient exclusion policy solution?

- A. Excessive 802.1x authentication failures
- B. VPN passthrough
- C. Web policy (web passthrough)
- D. Static WEP)
- E. 802.1x
- F. WPA2 (AES-CCMP

Correct Answer: A

QUESTION 3

In which direction does application visibility and controller mark the DSCP value of the original Packet in the wireless LAN controller?

- A. in one direction, either upstream or downstream
- B. in one direction, downstream only
- C. in both direction upstream and down stream
- D. in one direction upstream only

Correct Answer: C

QUESTION 4

VCE & PDF GeekCert.com

https://www.geekcert.com/400-351.html

2021 Latest geekcert 400-351 PDF and VCE dumps Download

You have a wireless network that supports location tracking for RFID tags. The RFID tags are 802.11b/g/n devices. You must enabled faster and more accruable location tracking for RFID tags in 2.4 GHz frequencies. Which two actions must you perform? (Choose two.)

- A. Enable tracking optimization on channel numbers 1, 6, and 11
- B. Enable tracking optimization on channel numbers 1, 5, 9, and 11
- C. Add more APs in local mode and wIPS submode to the perimeter of the area.
- D. Add more APs in monitor mode to the perimeter of the area.
- E. Add more APs in Sniffer mode to the perimeter of the area.

Correct Answer: AD

QUESTION 5

You are authenticating using LWA and ISE guest portal. Drag and drop the stups in the process on the left into the correct order on the right.

Select and Place:

The user is redirected to the specified portal.	
ISE performs authentication of ther user.	
WLC intercepts the request and redirects to ISE.	ert.
Web browser tries to fetch a web page.	
WLC uses RADIUS to authenticate against ISE and allows access.	
The user is presented with a guest logon page and enters the username and password.	
Web browser redirects again, submitting credentials to the WLC.	

https://www.geekcert.com/400-351.html

2021 Latest geekcert 400-351 PDF and VCE dumps Download

Correct Answer:

WLC intercepts the request and redirects to ISE.

The user is presented with a guest logon page and enters the username and password.

ISE performs authentication of ther user.

Web browser redirects again, submitting credentials to the WLC.

WLC uses RADIUS to authenticate against ISE and allows access.

Latest 400-351 Dumps

400-351 PDF Dumps

400-351 VCE Dumps



To Read the Whole Q&As, please purchase the Complete Version from Our website.

Try our product!

100% Guaranteed Success

100% Money Back Guarantee

365 Days Free Update

Instant Download After Purchase

24x7 Customer Support

Average 99.9% Success Rate

More than 800,000 Satisfied Customers Worldwide

Multi-Platform capabilities - Windows, Mac, Android, iPhone, iPod, iPad, Kindle

We provide exam PDF and VCE of Cisco, Microsoft, IBM, CompTIA, Oracle and other IT Certifications. You can view Vendor list of All Certification Exams offered:

https://www.geekcert.com/allproducts

Need Help

Please provide as much detail as possible so we can best assist you. To update a previously submitted ticket:





Any charges made through this site will appear as Global Simulators Limited. All trademarks are the property of their respective owners. Copyright © geekcert, All Rights Reserved.