



4A0-100^{Q&As}

Alcatel-Lucent Scalable IP Networks

Pass Alcatel-Lucent 4A0-100 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/4a0-100.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Alcatel-Lucent Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

In MAC Address 00-20-60-CE-2B-28, which part is the Organizationally Unique Identifier (OUI)?

- A. 2B-28
- B. 00-20
- C. CE-2B-28
- D. 00-20-60

Correct Answer: D

QUESTION 2

In which of the following types of network would STP be used?

- A. An MPLS network with multiple LSPs to the same LER.
- B. An Ethernet network with redundant paths.
- C. An OSPF network with multiple equal-cost paths.
- D. An eBGP network with multiple ASes.

Correct Answer: B

QUESTION 3

Which of the following about the displayed IP filter is TRUE?



```
*A:SRC_R1# show filter ip 1

=====
IP Filter
=====
Filter Id       : 1                               Applied       : Yes
Scope          : Template                       Def. Action   : Forward
Radius Ins Pt  : n/a
CrCtl. Ins Pt  : n/a
Entries        : 1
Description    : new-filter
=====

Filter Match Criteria : IP
=====

Entry          : 1
Description    : (Not Specified)
Log Id        : n/a
Src. IP       : 1.2.3.0/24
Src. Port     : None
Dest. IP      : 2.3.4.0/24
Dest. Port    : None
Protocol      : 6                               Dscp         : Undefined
ICMP Type     : Undefined                       ICMP Code    : Undefined
Fragment      : off                            Src Route Opt : Off
Sampling      : off                            Int. Sampling : On
IP-Option     : 0/0                            Multiple Option: Off
TCP-syn       : off                            TCP-ack      : Off
Option-pres   : off
Match action  : Drop
Ing. Matches  : 0 pkts
Egr. Matches  : 0 pkts
=====
```

- A. TCP (protocol 6) traffic between addresses 1.2.3.0/24 and 2.3.4.0/24 is dropped.
- B. TCP (protocol 6) traffic from source address 1.2.3.0/24 to destination address 2.3.4.0/24 is forwarded.
- C. TCP (protocol 6) traffic from source address 2.3.4.0/24 to destination address 1.2.3.0/24 is dropped.
- D. TCP (protocol 6) traffic from source address 1.2.3.0/24 to destination address 2.3.4.0/24 is dropped.

Correct Answer: A

QUESTION 4

Which of the following are correct statements about MPLS labels? (Choose 3)

- A. A sequence of label actions from one LER to another LER represents a logical tunnel known as an LSP.
- B. MPLS labels must be dynamically signaled.



- C. Labels are globally significant to the MPLS network.
- D. MPLS labels may be dynamically signaled or statically assigned by the service provider.
- E. Labels are locally significant to the MPLS router.

Correct Answer: ADE

QUESTION 5

Which of the following is the best description of well known ports?

- A. Well known ports apply to routers only and are used for communication and control traffic. Well known port numbers are assigned by IANA and can have any value.
- B. Well known ports are used by TCP and UDP. Well known port numbers range from 1024 to 65535 and are assigned by IANA.
- C. Well known port numbers are used by both TCP and UDP. Well known port numbers range from 1 to 1023 and are assigned by IANA.
- D. Well known ports numbers are used by TCP only. Well known port numbers are assigned by IANA and can have any value.

Correct Answer: C

[Latest 4A0-100 Dumps](#)

[4A0-100 PDF Dumps](#)

[4A0-100 Braindumps](#)