



4A0-100^{Q&As}

Alcatel-Lucent Scalable IP Networks

Pass Alcatel-Lucent 4A0-100 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.geekcert.com/4a0-100.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Alcatel-Lucent Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers





QUESTION 1

Host A receives a TCP SYN/ACK segment. What does this signify?

- A. Host A has received a request to establish a TCP session.
- B. Host A has received a request to close a TCP session
- C. A TCP session is now established to host A.
- D. The TCP session has been terminated due to a timeout.

Correct Answer: C

QUESTION 2

What is the preference value in the routing table used for?

- A. It indicates the preferred egress interface.
- B. It differentiates between multiple routes to a destination learned by the same protocol.
- C. It differentiates between multiple routes to a destination learned by different routing protocols.
- D. It is used to differentiate local routes from remote routes.

Correct Answer: C

QUESTION 3

Which device is responsible for removing the MPLS label before the packet reaches the CE device?

- A. The CE device removes the MPLS label.
- B. The last LSR on the LSP removes the MPLS label.
- C. MPLS labels are not removed until they reach the final destination.
- D. The egress LER removes the MPLS label.

Correct Answer: D

QUESTION 4

Which of the following information can be seen within the FILE context of the SR 7x50? (Choose 2)

- A. File sizes
- B. Port statistics



C. Log-id 100 files

D. TiMOS image files

Correct Answer: AD

QUESTION 5

Which application below would be likely to use UDP?

A. Real-time audio application such as VoIP.

B. Web browser.

C. Email application.

D. Telnet.

Correct Answer: A

[Latest 4A0-100 Dumps](#)

[4A0-100 Study Guide](#)

[4A0-100 Braindumps](#)